

PageSpeed Insights

Mobile



53 / 100 Speed

 Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 349.5KiB (75% reduction).

- Compressing <https://bazarus.ro/oc-content/themes/cbk/css/bootstrap.min.css> could save 117KiB (85% reduction).
- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/jquery.min.js> could save 58.1KiB (64% reduction).
- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/jquery.fineuploader.min.js> could save 57.3KiB (72% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/owl/owl.carousel.min.js> could save 32.2KiB (74% reduction).

Mobile

- Compressing <https://bazarus.ro/oc-content/themes/cbk/css/global.css> could save 24KiB (79% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/jquery-ui/jquery-ui-1.10.2.custom.min.css> could save 21.2KiB (80% reduction).
- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/jquery.validate.min.js> could save 14.4KiB (70% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/popper.min.js> could save 12.8KiB (64% reduction).
- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/date.js> could save 6.5KiB (67% reduction).
- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/fineuploader.css> could save 3.5KiB (72% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/owl/assets/owl.carousel.min.css> could save 2.2KiB (68% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/global.js> could save 255B (50% reduction).

Reduce server response time

In our test, your server responded in 0.95 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 10 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical

Mobile

portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://bazarus.ro/oc-includes/osclass/assets/js/jquery.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/jquery-19.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/jquery-ui.min.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/jquery.fineuploader.min.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/date.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/jquery.validate.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/popper.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/bootstrap.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/owl/owl.carousel.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/global.js>

[Optimize CSS Delivery](#) of the following:

- <https://bazarus.ro/oc-content/themes/cbk/css/bootstrap.min.css>
- <https://bazarus.ro/oc-content/themes/cbk/js/jquery-ui/jquery-ui-1.10.2.custom.min.css>
- <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/fineuploader.css>
- <https://bazarus.ro/oc-content/themes/cbk/css/ajax-uploader.css>
- <https://bazarus.ro/oc-content/themes/cbk/js/owl/assets/owl.carousel.min.css>
- <https://bazarus.ro/oc-content/themes/cbk/css/font/css/font-awesome.min.css>
- <https://bazarus.ro/oc-content/themes/cbk/css/global.css>



Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Mobile

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.google-analytics.com/ga.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.1KiB (23% reduction).

- Minifying <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/fineuploader.css> could save 1.1KiB (23% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.4KiB (16% reduction).

- Minifying <http://bazarus.ro/> could save 1.4KiB (16% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 6.8KiB (70% reduction).

Mobile

- Minifying <https://bazarus.ro/oc-includes/osclass/assets/js/date.js> could save 6.8KiB (70% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 3.2KiB (28% reduction).

- Compressing https://bazarus.ro/oc-content/uploads/site_logo.png could save 2.2KiB (31% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/images/user.png> could save 1KiB (22% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

98 / 100 User Experience



Consider Fixing:

Mobile

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div class="owl-dots"></div>` is close to 1 other tap targets.
- The tap target `<button class="owl-dot active"></button>` and 4 others are close to other tap targets.
- The tap target `Politica de confidentialitate` and 3 others are close to other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Mobile

Desktop



69 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 283.2KiB (73% reduction).

- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/jquery-ui.min.js> could save 163.6KiB (73% reduction).
- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/jquery.fineuploader.min.js> could save 57.3KiB (72% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/owl/owl.carousel.min.js> could save 32.2KiB (74% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/jquery-ui/jquery-ui-1.10.2.custom.min.css> could save 21.2KiB (80% reduction).
- Compressing <https://bazarus.ro/oc-includes/osclass/assets/js/date.js> could save 6.5KiB (67% reduction).
- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/owl/assets/owl.carousel.min.css> could save 2.2KiB (68% reduction).

Desktop

- Compressing <https://bazarus.ro/oc-content/themes/cbk/js/global.js> could save 255B (50% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 10 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://bazarus.ro/oc-includes/osclass/assets/js/jquery.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/jquery-19.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/jquery-ui.min.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/jquery.fineuploader.min.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/date.js>
- <https://bazarus.ro/oc-includes/osclass/assets/js/jquery.validate.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/popper.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/bootstrap.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/owl/owl.carousel.min.js>
- <https://bazarus.ro/oc-content/themes/cbk/js/global.js>

[Optimize CSS Delivery](#) of the following:

- <https://bazarus.ro/oc-content/themes/cbk/css/bootstrap.min.css>
- <https://bazarus.ro/oc-content/themes/cbk/js/jquery-ui/jquery-ui-1.10.2.custom.min.css>
- <https://bazarus.ro/oc-includes/osclass/assets/js/fineuploader/fineuploader.css>
- <https://bazarus.ro/oc-content/themes/cbk/css/ajax-uploader.css>
- <https://bazarus.ro/oc-content/themes/cbk/js/owl/assets/owl.carousel.min.css>
- <https://bazarus.ro/oc-content/themes/cbk/css/font/css/font-awesome.min.css>

Desktop

- <https://bazarus.ro/oc-content/themes/cbk/css/global.css>

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.google-analytics.com/ga.js> (2 hours)

Reduce server response time

In our test, your server responded in 0.26 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.4KiB (16% reduction).

- Minifying <http://bazarus.ro/> could save 1.4KiB (16% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 6.8KiB (70% reduction).

- Minifying <https://bazarus.ro/oc-includes/osclass/assets/js/date.js> could save 6.8KiB (70% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1KiB (22% reduction).

- Compressing <https://bazarus.ro/oc-content/themes/cbk/images/user.png> could save 1KiB (22% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Desktop

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).