


PageSpeed Insights

Mobile



73 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.bing.com/rms/BingCore.Bundle/cj,nj/4ec5679f/05acd042.js?bu=rms+answers+Shared+BingCore%24ClientInstV2%24DuplicateXlsDefaultConfig%2cBingCore%24ClientInstV2%24SharedLocalStorageConfigDefault%2cBingCore%24shared%2cBingCore%24env.override%2cEmpty%2cBingCore%24event.custom.fix%2cBingCore%24event.native%2cBingCore%24onHTML%2cBingCore%24dom%2cBingCore%24cookies%2cBingCore%24rmsajax%2cBingCore%24ClientInstV2%24LogUploadCapFeatureDisabled%2cBingCore%24ClientInstV2%24ClientInstConfigSeparateOfflineQueue%2cBingCore%24clientinst%2cBingCore%24replay%2cBingCore%24Animation%2cBingCore%24fadeAnimation%2cBingCore%24framework>

Mobile

- <http://www.bing.com/rms/Framework/cj,nj/3b6605e2/50284e6c.js?bu=rms+answers+BoxModel+config.basic%2ccore%2ccore%24viewport%2ccore%24layout%2ccore%24metrics%2cmodules%24mutation%2cmodules%24error%2cmodules%24network%2cmodules%24cursor%2cmodules%24keyboard%2cmodules%24bot>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 47.8KiB (64% reduction).

- Compressing <http://www.bing.com/rms/AutoSug/cj,nj/bba0f291/353bfd38.js?bu=rms+answers+AutoSuggest+Service%2cWeb%24Utils%2cWeb%24EventRegisterer%2cWeb%24EventRegistration%2cEmpty%2cEmpty%2cEmpty%2cWeb%24WebCore%2cWeb%24DataProvider%2cEmpty%2cEmpty%2cWeb%24Canvas%2cWeb%24Layout%2cWeb%24SearchForm%2cEmpty%2cEmpty%2cWeb%24PrefixThrottling%2cEmpty%2cEmpty%2cWeb%24Init> could save 25.1KiB (71% reduction).
- Compressing <http://www.bing.com/rms/Framework/cj,nj/3b6605e2/50284e6c.js?bu=rms+answers+BoxModel+config.basic%2ccore%2ccore%24viewport%2ccore%24layout%2ccore%24metrics%2cmodules%24mutation%2cmodules%24error%2cmodules%24network%2cmodules%24cursor%2cmodules%24keyboard%2cmodules%24bot> could save 10.7KiB (58% reduction).
- Compressing <http://www.bing.com/rms/BingCore.Bundle/cj,nj/4ec5679f/05acd042.js?bu=rms+answers+Shared+BingCore%24ClientInstV2%24DuplicateXlsDefaultConfig%2cBingCore%24ClientInstV2%24SharedLocalStorageConfigDefault%2cBingCore%24shared%2cBingCore%24env.override%2cEmpty%2cBingCore%24event.custom.fix%2cBingCore%24event.native%2cBingCore%24onHTML%2cBingCore%24dom%2cBingCore%24cookies%2cBingCore%24rmsajax%2cBingCore%24ClientInstV2%24LogUploadCapFeatureDisabled%2cBingCore%24ClientInstV2%24ClientInstConfigSeparateOfflineQueue%2cBingCore%24clientinst%2cBingCore%24replay%2cBingCore%24Animation%2cBingCore%24fadeAnimation%2cBingCore%24framework> could save 7KiB (60% reduction).
- Compressing <http://www.bing.com/rms/rms%20answers%20Homepage%20ImageFavorites/cj,nj/99fc20e9/f936b02d.js> could save 2.7KiB (58% reduction).
- Compressing [http://www.bing.com/rms/rms%20answers%20MultimediaFavorites%20Core\\$M MFaves/cj,nj/56b755ce/802fbfb7.js](http://www.bing.com/rms/rms%20answers%20MultimediaFavorites%20Core$M MFaves/cj,nj/56b755ce/802fbfb7.js) could save 1.1KiB (58% reduction).
- Compressing http://www.bing.com/rms/MobileSiteBase/cc,nc/8d0342e9/e3492d89.css?bu=rms+serp+Mobile%24mobileSite_c%2cMobile%24mobilesiteandroidhigh could save 1KiB (44% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 7% of the final above-the-fold content could be rendered with the full HTML response snapshot:3.



7 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Leverage browser caching

You have enabled browser caching. Learn more about [browser caching recommendations](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Mobile

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

100 / 100 User Experience

 5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Mobile


Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



85 / 100 Speed

! Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 52.1KiB (65% reduction).

- Compressing <http://www.bing.com/rms/AutoSug/cj,nj/46c259f2/f1a83f31.js?bu=rms+answers+AutoSuggest+Service%2cWeb%24Utils%2cWeb%24EventRegisterer%2cWeb%24EventRegistration%2cEmpty%2cEmpty%2cEmpty%2cWeb%24WebCore%2cWeb%24DataProvider%2cEmpty%2cEmpty%2cWeb%24Canvas%2cWeb%24Layout%2cWeb%24SearchForm%2cWeb%24Ghosting%2cEmpty%2cWeb%24PrefixThrottling%2cEmpty%2cEmpty%2cWeb%24Init>

Desktop

could save 28.6KiB (72% reduction).

- Compressing <http://www.bing.com/rms/Framework/cj,nj/3b6605e2/50284e6c.js?bu=rms+answers+BoxModel+config.basic%2ccore%2ccore%24viewport%2ccore%24layout%2ccore%24metrics%2cmodules%24mutation%2cmodules%24error%2cmodules%24network%2cmodules%24cursor%2cmodules%24keyboard%2cmodules%24bot> could save 10.7KiB (58% reduction).
- Compressing http://www.bing.com/rms/BingCore.Bundle/cj,nj/1a806f46/3b088e56.js?bu=rms+answers+Shared+BingCore%24ClientInstV2%24DuplicateXlsDefaultConfig%2cBingCore%24ClientInstV2%24SharedLocalStorageConfigDefault%2cBingCore%24shared%2cBingCore%24env.override%2cEmpty%2cBingCore%24event.custom.fix%2cBingCore%24event.native%2cBingCore%24onHTML%2cBingCore%24dom%2cBingCore%24cookies%2cBingCore%24XHRPrefetch%24rmsajax_xhrprefetch%2cBingCore%24ClientInstV2%24LogUploadCapFeatureDisabled%2cBingCore%24ClientInstV2%24ClientInstConfigSeparateOfflineQueue%2cBingCore%24clientinst%2cBingCore%24replay%2cBingCore%24Animation%2cBingCore%24fadeAnimation%2cBingCore%24framework could save 6.9KiB (59% reduction).
- Compressing <http://www.bing.com/rms/rms%20answers%20Homepage%20ImageFavorites/cj,nj/99fc20e9/f936b02d.js> could save 2.7KiB (58% reduction).
- Compressing [http://www.bing.com/rms/rms%20answers%20Rewards%20Blue\\$RewardsIconBepBlue/cj,nj/0dfdab0b/c8cc1a8c.js](http://www.bing.com/rms/rms%20answers%20Rewards%20Blue$RewardsIconBepBlue/cj,nj/0dfdab0b/c8cc1a8c.js) could save 1.2KiB (51% reduction).
- Compressing [http://www.bing.com/rms/rms%20answers%20MultimediaFavorites%20Core\\$MMFaves/cj,nj/56b755ce/802fbfb7.js](http://www.bing.com/rms/rms%20answers%20MultimediaFavorites%20Core$MMFaves/cj,nj/56b755ce/802fbfb7.js) could save 1.1KiB (58% reduction).
- Compressing [http://www.bing.com/rms/rms%20answers%20Identity%20Blue\\$BlueIdentityHeader/cj,nj/3e9e77f6/8de4ea50.js](http://www.bing.com/rms/rms%20answers%20Identity%20Blue$BlueIdentityHeader/cj,nj/3e9e77f6/8de4ea50.js) could save 720B (50% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- http://www.bing.com/rms/BingCore.Bundle/cj,nj/1a806f46/3b088e56.js?bu=rms+answers+Shared+BingCore%24ClientInstV2%24DuplicateXlsDefaultConfig%2cBingCore%24ClientInstV2%24SharedLocalStorageConfigDefault%2cBingCore%24shared%2cBingCore%24env.override%2cEmpty%2cBingCore%24event.custom.fix%2cBingCore%24event.native%2cBingCore%24onHTML%2cBingCore%24dom%2cBingCore%24cookies%2cBingCore%24XHRPrefetch%24rmsajax_xhrprefetch%2cBingCore%24ClientInstV2%24LogUploadCapFeatureDisabled%2cBingCore%24ClientInstV2%24ClientInstConfigSeparateOfflineQueue%2cBingCore%24clientinst%2cBingCore%24replay%2cBingCore%24Animation%2cBingCore%24fadeAnimation%2cBing

Desktop

Core%24framework

- <http://www.bing.com/rms/Framework/cj,nj/3b6605e2/50284e6c.js?bu=rms+answers+BoxModel+config.basic%2ccore%2ccore%24viewport%2ccore%24layout%2ccore%24metrics%2cmolecules%24mutation%2cmolecules%24error%2cmolecules%24network%2cmolecules%24cursor%2cmolecules%24keyboard%2cmolecules%24bot>

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 5% of the final above-the-fold content could be rendered with the full HTML response snapshot:4.



7 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Leverage browser caching

You have enabled browser caching. Learn more about [browser caching recommendations](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).