

PageSpeed Insights

Mobile



72 / 100 **Velocità**

! Soluzioni da implementare:

Elimina JavaScript e CSS che bloccano la visualizzazione nei contenuti above-the-fold

La tua pagina presenta 2 risorse script di blocco. Ciò causa un ritardo nella visualizzazione della pagina.

Non è stato possibile visualizzare alcun contenuto above-the-fold della pagina senza dover attendere il caricamento delle seguenti risorse. Prova a rimandare o a caricare in modo asincrono le risorse di blocco oppure incorpora le parti fondamentali di tali risorse direttamente nel codice HTML.

[Rimuovi il codice JavaScript che blocca la visualizzazione:](#)

- <http://www.bing.com/rms/BingCore.Bundle/cj,nj/aaf9fcac/3d93b506.js?bu=rms+answers+Shared+BingCore%24ClientInstV2%24DuplicateXlsDefaultConfig%2cBingCore%24ClientInstV2%24SharedLocalStorageConfigDefault%2cBingCore%24shared%2cBingCore%24env.override%2cEmpty%2cBingCore%24event.custom.fix%2cBingCore%24event.native%2cBingCore%24onHTML%2cBingCore%24dom%2cBingCore%24cookies%2cBingCore%24rmsajax%2cBingCore%24ClientInstV2%24LogUploadCapFeatureDisabled%2cBingCore%24ClientInstV2%24ClientInstConfigSeparateOfflineQueue%2cBingCore%24clientinst%2cBingCore%24replay%2cBin>

gCore%24Animation%2cBingCore%24fadeAnimation%2cBingCore%24framework

- <http://www.bing.com/rms/Framework/cj,nj/88cd2330/af34f9f8.js?bu=rms+answers+BoxModel+config.basic%2cempty%2ccore%2ccore%24viewport%2ccore%24layout%2ccore%24metrics%2cmobiles%24mutation%2cmobiles%24error%2cmobiles%24network%2cmobiles%24cursor%2cmobiles%24keyboard%2cempty%2cmobiles%24bot>

Possibili soluzioni:

Abilita la compressione

La compressione delle risorse con gzip o deflate può ridurre il numero di byte inviati tramite la rete.

[Attiva la compressione](#) per le seguenti risorse al fine di ridurre le relative dimensioni di trasferimento di 53 KiB (riduzione del 64%).

- La compressione di <http://www.bing.com/rms/AutoSug/cj,nj/39748381/4cdec657.js?bu=rms+answers+AutoSuggest+Service%2cWeb%24Utils%2cWeb%24EventRegisterer%2cWeb%24EventRegistration%2cEmpty%2cEmpty%2cEmpty%2cWeb%24WebCore%2cWeb%24DataProvider%2cEmpty%2cWeb%24Canvas%2cEmpty%2cWeb%24Layout%2cWeb%24SearchForm%2cEmpty%2cEmpty%2cWeb%24PrefixThrottling%2cEmpty%2cEmpty%2cWeb%24DeleteHistorySuggestionHandler%2cWeb%24Init> potrebbe consentire di risparmiare 29,2 KiB (riduzione del 71%).
- La compressione di <http://www.bing.com/rms/Framework/cj,nj/88cd2330/af34f9f8.js?bu=rms+answers+BoxModel+config.basic%2cempty%2ccore%2ccore%24viewport%2ccore%24layout%2ccore%24metrics%2cmobiles%24mutation%2cmobiles%24error%2cmobiles%24network%2cmobiles%24cursor%2cmobiles%24keyboard%2cempty%2cmobiles%24bot> potrebbe consentire di risparmiare 10,7 KiB (riduzione del 58%).
- La compressione di <http://www.bing.com/rms/BingCore.Bundle/cj,nj/aaf9fcac/3d93b506.js?bu=rms+answers+Shared+BingCore%24ClientInstV2%24DuplicateXIsDefaultConfig%2cBingCore%24ClientInstV2%24SharedLocalStorageConfigDefault%2cBingCore%24shared%2cBingCore%24env.override%2cEmpty%2cBingCore%24event.custom.fix%2cBingCore%24event.native%2cBingCore%24onHTML%2cBingCore%24dom%2cBingCore%24cookies%2cBingCore%24rmsajax%2cBingCore%24ClientInstV2%24LogUploadCapFeatureDisabled%2cBingCore%24ClientInstV2%24ClientInstConfigSeparateOfflineQueue%2cBingCore%24clientinst%2cBingCore%24replay%2cBingCore%24Animation%2cBingCore%24fadeAnimation%2cBingCore%24framework> potrebbe consentire di risparmiare 7,3 KiB (riduzione del 59%).
- La compressione di <http://www.bing.com/rms/rms%20answers%20Homepage%20ImageFavorites/cj,nj/99fc20e9/f936b02d.js> potrebbe consentire di risparmiare 2,7 KiB (riduzione del 58%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20MultimediaFavorites%20Ore\\$MMFaves/cj,nj/56b755ce/802fbfb7.js](http://www.bing.com/rms/rms%20answers%20MultimediaFavorites%20Ore$MMFaves/cj,nj/56b755ce/802fbfb7.js) potrebbe consentire di risparmiare 1,1 KiB

Mobile

(riduzione del 58%).

- La compressione di http://www.bing.com/rms/MobileSiteBase/cc,nc/8d0342e9/e3492d89.css?bu=rms+serp+Mobile%24mobileSite_c%2cMobile%24mobilesiteandroidhigh potrebbe consentire di risparmiare 1 KiB (riduzione del 44%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Identity%20Mobile\\$HamburgerMenu/cj,nj/47eedaa8/1bff6059.js](http://www.bing.com/rms/rms%20answers%20Identity%20Mobile$HamburgerMenu/cj,nj/47eedaa8/1bff6059.js) potrebbe consentire di risparmiare 614 B (riduzione del 43%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Shared%20BingCore\\$Animation/cj,nj/c9ce19fd/92e3c570.js](http://www.bing.com/rms/rms%20answers%20Shared%20BingCore$Animation/cj,nj/c9ce19fd/92e3c570.js) potrebbe consentire di risparmiare 136 B (riduzione del 35%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Identity%20Mobile\\$MobileSnrWindowsLiveConnectBootstrap/cj,nj/da504a49/f805f359.js](http://www.bing.com/rms/rms%20answers%20Identity%20Mobile$MobileSnrWindowsLiveConnectBootstrap/cj,nj/da504a49/f805f359.js) potrebbe consentire di risparmiare 126 B (riduzione del 31%).

Ottimizza immagini

La corretta formattazione e compressione delle immagini può far risparmiare parecchi byte di dati.

[Ottimizza le immagini seguenti](#) per ridurne le dimensioni di 3,9 KiB (riduzione del 28%).

- La compressione e il ridimensionamento di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$NearByCard\\$mscopes_Images/ic/ee308001/bff07120.png](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$NearByCard$mscopes_Images/ic/ee308001/bff07120.png) potrebbe consentire di risparmiare 1,2 KiB (riduzione del 73%).
- La compressione e il ridimensionamento di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$NearByCard\\$mscopes_News/ic/d61dcdf7/e7066e3c.png](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$NearByCard$mscopes_News/ic/d61dcdf7/e7066e3c.png) potrebbe consentire di risparmiare 826 B (riduzione del 66%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$NearByCard\\$mscopes_Videos/ic/495b665f/14f67787.png](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$NearByCard$mscopes_Videos/ic/495b665f/14f67787.png) potrebbe consentire di risparmiare 367 B (riduzione del 37%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$sudoku/ic/0fc4e494/b41889c1.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$sudoku/ic/0fc4e494/b41889c1.jpg) potrebbe consentire di risparmiare 214 B (riduzione del 17%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$rubix/ic/da45e62f/201dd8a2.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$rubix/ic/da45e62f/201dd8a2.jpg) potrebbe consentire di risparmiare 172 B (riduzione del 18%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$newsquiz/ic/84227801/31c1a571.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$newsquiz/ic/84227801/31c1a571.jpg) potrebbe consentire di risparmiare 153 B (riduzione del 13%).

Mobile

- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$homepagequiz/ic/0bea548b/d305a9ed.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$homepagequiz/ic/0bea548b/d305a9ed.jpg) potrebbe consentire di risparmiare 148 B (riduzione del 15%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$jigsaw/ic/da97cf8c/7988cc1c.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$jigsaw/ic/da97cf8c/7988cc1c.jpg) potrebbe consentire di risparmiare 144 B (riduzione del 15%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$celebrityquiz/ic/86deb1b6/5ccac8d2.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$celebrityquiz/ic/86deb1b6/5ccac8d2.jpg) potrebbe consentire di risparmiare 137 B (riduzione del 15%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$2048/ic/3e32adef/2889f0f1.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$2048/ic/3e32adef/2889f0f1.jpg) potrebbe consentire di risparmiare 133 B (riduzione del 17%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$geographyquiz/ic/905a59b7/146ad29b.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$geographyquiz/ic/905a59b7/146ad29b.jpg) potrebbe consentire di risparmiare 120 B (riduzione del 16%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$crossword/ic/78b41b92/d4671a5c.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$crossword/ic/78b41b92/d4671a5c.jpg) potrebbe consentire di risparmiare 115 B (riduzione del 14%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$rewardsquiz/ic/62e26c9c/4d15d5bc.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$rewardsquiz/ic/62e26c9c/4d15d5bc.jpg) potrebbe consentire di risparmiare 112 B (riduzione del 14%).
- La compressione di [http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile\\$BingFun\\$TouchQuery\\$slidingtiles/ic/b44fce8e/f5f36af7.jpg](http://www.bing.com/rms/rms%20answers%20Homepage%20Mobile$BingFun$TouchQuery$slidingtiles/ic/b44fce8e/f5f36af7.jpg) potrebbe consentire di risparmiare 109 B (riduzione del 14%).

Dai la priorità ai contenuti visibili

La tua pagina richiede ulteriori round trip di rete per visualizzare i contenuti above the fold. Per avere un rendimento ottimale, riduci la quantità di codice HTML necessario per visualizzare i contenuti above the fold.

L'intera risposta HTML non è stata sufficiente per la visualizzazione dei contenuti above the fold. Generalmente, questo indica che per il rendering dei contenuti above the fold sono state necessarie risorse aggiuntive, caricate dopo l'analisi HTML. [Dai la priorità ai contenuti visibili](#) necessari per la visualizzazione above the fold, includendoli direttamente nella risposta HTML.

- È stato possibile visualizzare soltanto circa il 6% dei contenuti above the fold finali con la risposta HTML completa snapshot:3.



6 regole rispettate

Evita reindirizzamenti delle pagine di destinazione

La tua pagina non ha reindirizzamenti. Leggi ulteriori informazioni su [come evitare reindirizzamenti delle pagine di destinazione](#).

Sfrutta il caching del browser

Hai attivato la memorizzazione nella cache del browser. Scopri ulteriori [consigli sulla memorizzazione nella cache del browser](#).

Riduci tempo di risposta del server

Il tuo server ha risposto rapidamente. Leggi ulteriori informazioni sull'[ottimizzazione del tempo di risposta del server](#).

Minimizza CSS

Il tuo CSS è minimizzato. Leggi ulteriori informazioni su [come minimizzare i CSS](#).

Minimizza HTML

Il tuo HTML è minimizzato. Leggi ulteriori informazioni su [come minimizzare l'HTML](#).

Minimizza JavaScript

I tuoi contenuti JavaScript sono minimizzati. Leggi ulteriori informazioni su [come minimizzare il JavaScript](#).

100 / 100 Esperienza utente

Mobile

5 regole rispettate

Evita plug-in

Risulta che la tua pagina non utilizza plug-in. Questo impedisce ai contenuti di essere utilizzati su molte piattaforme. Scopri ulteriori informazioni sull'importanza di [evitare i plug-in](#).

Configura la viewport

Per la pagina è stata specificata una viewport corrispondente alle dimensioni del dispositivo che consente la corretta visualizzazione della pagina su tutti i dispositivi. Leggi ulteriori informazioni sulla [configurazione di viewport](#).

Imposta le dimensioni per la visualizzazione

I contenuti della pagina rientrano nella visualizzazione. Scopri ulteriori informazioni su come [adattare le dimensioni dei contenuti alla visualizzazione](#).

Imposta dimensioni appropriate per target tocco

Tutti i link/pulsanti della pagina sono abbastanza grandi per consentire a un utente di toccarli facilmente sul touchscreen. Leggi ulteriori informazioni sulle [dimensioni appropriate dei target dei tocchi](#).

Utilizza dimensioni di carattere leggibili

Il testo della pagina è leggibile. Leggi ulteriori informazioni sull'[utilizzo di dimensioni di carattere leggibili](#).