


# PageSpeed Insights

## Mobile



BoYans.net

### Visual BCD Editor - graphical bcdedit utility for Windows 7 to Windows 10

- easy BCD edit
- structured view of complete BCD
- create and edit every BCD option

Visual BCD Editor is an **advanced graphical user interface (GUI) version of Windows bcdedit utility**.

It is the first GUI tool to implement full editing of Windows 7/Vista Boot Configuration Data (BCD) store.

(For Windows 10/8.x on BIOS or UEFI we recommend version 0.9.0.1 of the tool as later versions can edit only objects which have a description element - boot manager and loader objects.)

The tool gives a **structured view of Windows BCD store** with its **explorer like interface** and allows **easy editing of all BCD objects and elements by novice or advanced**

184 SHARES

f t G+ +

96 / 100 Speed

 Consider Fixing:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 376B (38% reduction).

- Compressing <https://static.quantcast.mgr.consensu.org/v8/cmp-3pc-check.html> could save 266B (46% reduction).
- Compressing <https://s7.addthis.com/static/131.8e8819822a8cc01bc51e.js> could save 110B (27% reduction).

# Mobile

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://quantcast.mgr.consensu.org/cmp.js> (expiration not specified)
- [https://m.addthisedge.com/live/boost/ra-555981c973a80946/\\_ate.track.config\\_resp](https://m.addthisedge.com/live/boost/ra-555981c973a80946/_ate.track.config_resp) (55 seconds)
- [https://s7.addthis.com/js/300/addthis\\_widget.js](https://s7.addthis.com/js/300/addthis_widget.js) (10 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 159B (28% reduction).

- Minifying <https://static.quantcast.mgr.consensu.org/v8/cmp-3pc-check.html> could save 159B (28% reduction).



7 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Reduce server response time

## Mobile

Your server responded quickly. Learn more about [server response time optimization](#).

### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

### Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about [removing render-blocking resources](#).

### Optimize images

Your images are optimized. Learn more about [optimizing images](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

**100 / 100** User Experience

 5 Passed Rules

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

# Mobile

## Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

## Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

## Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

## Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

# Desktop



97 / 100 Speed

 Consider Fixing:

# Desktop

## Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 376B (38% reduction).

- Compressing <https://static.quantcast.mgr.consensu.org/v8/cmp-3pc-check.html> could save 266B (46% reduction).
- Compressing <https://s7.addthis.com/static/131.8e8819822a8cc01bc51e.js> could save 110B (27% reduction).

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://quantcast.mgr.consensu.org/cmp.js> (expiration not specified)
- [https://m.addthisedge.com/live/boost/ra-555981c973a80946/\\_ate.track.config\\_resp](https://m.addthisedge.com/live/boost/ra-555981c973a80946/_ate.track.config_resp) (57 seconds)
- [https://s7.addthis.com/js/300/addthis\\_widget.js](https://s7.addthis.com/js/300/addthis_widget.js) (10 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 159B (28% reduction).

## Desktop

- Minifying <https://static.quantcast.mgr.consensu.org/v8/cmp-3pc-check.html> could save 159B (28% reduction).



### 7 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

#### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

#### Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

#### Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about [removing render-blocking resources](#).

#### Optimize images

Your images are optimized. Learn more about [optimizing images](#).

# Desktop

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).