PageSpeed Insights

Mobile



Home



Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://www.cielellis.com/wp-includes/js/jquery/jquery.js?ver=1.12.4
- http://www.cielellis.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1
- http://www.cielellis.com/wpcontent/themes/allurer/assets/js/modernizr.custom.79639.js?ver=1.0.3
- http://www.cielellis.com/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21

Optimize CSS Delivery of the following:

- http://www.cielellis.com/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=4.7
- http://fonts.googleapis.com/css?family=Open+Sans%3A400italic%2C700italic%2C400%2C7 00%7CKaushan+Script%3A400italic%2C700italic%2C400%2C700%7CAllura+Script%3A400i talic%2C700italic%2C400%2C700&subset=latin%2Clatin-ext
- http://www.cielellis.com/wp-content/themes/allurer/assets/css/style.css?ver=1.0.3
- http://www.cielellis.com/wp-content/themes/allurer/assets/css/bootstrap.css?ver=1.0.3
- http://www.cielellis.com/wp-content/themes/allurer/assets/css/custom.css?ver=1.0.3
- https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css?ver=1.9.4
- http://www.cielellis.com/wp-content/plugins/simple-social-icons/css/style.css?ver=2.0.1

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 3.4MiB (87% reduction).

- Compressing and resizing http://www.cielellis.com/wpcontent/uploads/2017/02/IMG_2023.jpg could save 1.6MiB (99% reduction).
- Compressing http://www.cielellis.com/wp-content/uploads/2017/03/Clarity-Quest-4.jpg could save 1MiB (76% reduction).
- Compressing and resizing http://www.cielellis.com/wpcontent/uploads/2017/02/IMG_1976-e1487811520767.jpg could save 549.3KiB (97% reduction).
- Compressing and resizing http://www.cielellis.com/wpcontent/uploads/2017/02/cropped-150704_Ciel-Portrait-Session-38-e1487808953576-1.jpg could save 185.2KiB (99% reduction).
- Compressing http://www.cielellis.com/wp-content/uploads/2017/02/Photoon-2016-11-03-at-12.10-PM-2.jpg could save 62.9KiB (30% reduction).

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Enable compression for the following resources to reduce their transfer size by 13.6KiB (75% reduction).

• Compressing http://www.cielellis.com/ could save 13.6KiB (75% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://www.cielellis.com/wp-content/uploads/2017/02/IMG_1976-e1487811520767.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/IMG_2023.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/Photoon-2016-11-03-at-12.10-PM-2.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/cropped-150704_Ciel-Portrait-Session-38-e1487808953576-1.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/cropped-150704_Ciel-Portrait-Session-38-e1487808953576.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/03/Clarity-Quest-4.jpg (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 2.6KiB (25% reduction).

- Minifying http://www.cielellis.com/wp-content/themes/allurer/assets/css/style.css?ver=1.0.3 could save 1.6KiB (27% reduction) after compression.
- Minifying http://www.cielellis.com/wpcontent/themes/allurer/assets/css/custom.css?ver=1.0.3 could save 1KiB (22% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 3.3KiB (19% reduction).

• Minifying http://www.cielellis.com/ could save 3.3KiB (19% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

<u>Minify JavaScript</u> for the following resources to reduce their size by 3.9KiB (27% reduction).

- Minifying http://www.cielellis.com/wpcontent/themes/allurer/assets/js/bootstrap.js?ver=1.0.3 could save 2.8KiB (24% reduction) after compression.
- Minifying http://www.cielellis.com/wp-content/plugins/simple-socialicons/svgxuse.js?ver=1.1.21 could save 1KiB (44% reduction) after compression.



Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.

97 / 100 User Experience


Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider <u>making these tap targets larger</u> to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

 The tap target WordPress and 1 others are close to other tap targets.



Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about <u>configuring viewports</u>.

Size content to viewport

The contents of your page fit within the viewport. Learn more about <u>sizing content to the viewport</u>.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

Desktop



Home

Reclaim your Love, Passion & Power.



Should Fix:

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 3.9MiB (95% reduction).

- Compressing and resizing http://www.cielellis.com/wpcontent/uploads/2017/02/IMG_2023.jpg could save 1.6MiB (99% reduction).
- Compressing and resizing http://www.cielellis.com/wp-content/uploads/2017/03/Clarity-Quest-4.jpg could save 1.3MiB (98% reduction).
- Compressing and resizing http://www.cielellis.com/wpcontent/uploads/2017/02/IMG_1976-e1487811520767.jpg could save 556.7KiB (99% reduction).
- Compressing and resizing http://www.cielellis.com/wpcontent/uploads/2017/02/cropped-150704_Ciel-Portrait-Session-38-e1487808953576.jpg could save 189.3KiB (98% reduction).
- Compressing and resizing http://www.cielellis.com/wpcontent/uploads/2017/02/cropped-150704_Ciel-Portrait-Session-38-e1487808953576-1.jpg could save 185.2KiB (99% reduction).
- Compressing http://www.cielellis.com/wp-content/uploads/2017/02/Photoon-2016-11-03-at-12.10-PM-2.jpg could save 62.9KiB (30% reduction).

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 13.6KiB (75% reduction).

• Compressing http://www.cielellis.com/ could save 13.6KiB (75% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- http://www.cielellis.com/wp-content/uploads/2017/02/IMG_1976-e1487811520767.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/IMG_2023.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/Photoon-2016-11-03-at-12.10-PM-2.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/cropped-150704_Ciel-Portrait-Session-38-e1487808953576-1.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/02/cropped-150704_Ciel-Portrait-Session-38-e1487808953576.jpg (expiration not specified)
- http://www.cielellis.com/wp-content/uploads/2017/03/Clarity-Quest-4.jpg (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 2.6KiB (25% reduction).

- Minifying http://www.cielellis.com/wp-content/themes/allurer/assets/css/style.css?ver=1.0.3 could save 1.6KiB (27% reduction) after compression.
- Minifying http://www.cielellis.com/wpcontent/themes/allurer/assets/css/custom.css?ver=1.0.3 could save 1KiB (22% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many

bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 3.3KiB (19% reduction).

• Minifying http://www.cielellis.com/ could save 3.3KiB (19% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

<u>Minify JavaScript</u> for the following resources to reduce their size by 3.9KiB (27% reduction).

- Minifying http://www.cielellis.com/wpcontent/themes/allurer/assets/js/bootstrap.js?ver=1.0.3 could save 2.8KiB (24% reduction) after compression.
- Minifying http://www.cielellis.com/wp-content/plugins/simple-socialicons/svgxuse.js?ver=1.1.21 could save 1KiB (44% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://www.cielellis.com/wp-includes/js/jquery/jquery.js?ver=1.12.4
- http://www.cielellis.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1
- http://www.cielellis.com/wpcontent/themes/allurer/assets/js/modernizr.custom.79639.js?ver=1.0.3

• http://www.cielellis.com/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21

Optimize CSS Delivery of the following:

- http://www.cielellis.com/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=4.7
- http://fonts.googleapis.com/css?family=Open+Sans%3A400italic%2C700italic%2C400%2C7 00%7CKaushan+Script%3A400italic%2C700italic%2C400%2C700%7CAllura+Script%3A400i talic%2C700italic%2C400%2C700&subset=latin%2Clatin-ext
- http://www.cielellis.com/wp-content/themes/allurer/assets/css/style.css?ver=1.0.3
- http://www.cielellis.com/wp-content/themes/allurer/assets/css/bootstrap.css?ver=1.0.3
- http://www.cielellis.com/wp-content/themes/allurer/assets/css/custom.css?ver=1.0.3
- https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css?ver=1.9.4
- http://www.cielellis.com/wp-content/plugins/simple-social-icons/css/style.css?ver=2.0.1

2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about <u>avoiding landing page redirects</u>.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.