
PageSpeed Insights

Mobile





Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 33 blocking script resources and 22 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://clixlr8.com/wp-includes/js/jquery/jquery.js?ver=1.12.4
- https://clixlr8.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/js/public.min.js?ver=1.1.1
- https://clixlr8.com/wp-includes/js/jquery/ui/core.min.js?ver=1.11.4

- https://clixlr8.com/wp-includes/js/jquery/ui/datepicker.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/jquery/ui/widget.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/plupload/moxie.min.js?ver=1.3.5
- https://clixlr8.com/wp-includes/js/plupload/plupload.min.js?ver=2.1.9
- https://clixlr8.com/wp-includes/js/plupload/handlers.min.js?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/jquery-ui-timepicker-addon.js?ver=4.9.8
- https://clixlr8.com/wp-includes/js/jquery/ui/sortable.min.js?ver=1.11.4
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/upload.js?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/frontendform.min.js?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.js?ver=2.9.1
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/billing-address.js?ver=4.9.8
- https://clixlr8.com/wp-content/themes/phlox/js/solo/modernizr-custom.min.js?ver=2.2.21
- https://clixlr8.com/wp-content/plugins/auxinelements/public/assets/js/plugins.min.js?ver=2.2.20
- https://clixlr8.com/wp-includes/js/jquery/ui/position.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/jquery/ui/menu.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/wp-a11y.min.js?ver=4.9.8
- https://clixlr8.com/wp-includes/js/jquery/ui/autocomplete.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/jquery/suggest.min.js?ver=1.1-20110113
- https://clixlr8.com/wp-includes/js/jquery/ui/slider.min.js?ver=1.11.4
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/subscriptions.js?ver=4.9.8
- https://clixlr8.com/wp-includes/js/thickbox/thickbox.js?ver=3.1-20121105
- https://clixlr8.com/wp-content/plugins/super-socializer/js/front/combined.js?ver=7.12.1
- https://clixlr8.com/wp-includes/js/imagesloaded.min.js?ver=3.2.0
- https://clixlr8.com/wp-includes/js/masonry.min.js?ver=3.3.2
- https://clixlr8.com/wp-content/themes/phlox/js/plugins.min.js?ver=2.2.21

- https://clixlr8.com/wp-content/themes/phlox/js/scripts.min.js?ver=2.2.21
- https://clixlr8.com/wp-content/uploads/phlox/custom.js?ver=7.8
- https://clixlr8.com/wp-includes/js/wp-embed.min.js?ver=4.9.8

Optimize CSS Delivery of the following:

- https://clixlr8.com/wp-content/plugins/paid-memberships-pro/css/frontend.css?ver=1.9.5.3
- https://clixlr8.com/wp-content/plugins/the-post-grid/assets/css/thepostgrid.css?ver=2.2.4
- https://clixlr8.com/wp-content/plugins/top-10/css/default-style.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/ultimate-faqs/css/ewd-ufaq-styles.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/ultimate-faqs/css/rrssb-min.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/css/public.min.css?ver=1.1.1
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/css/frontendforms.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/css/jqueryui-1.9.1.custom.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.css?ver=2.9.1
- https://clixlr8.com/wp-content/plugins/wp-whatsapp-chat/css/style.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/mycred/assets/css/mycred-front.css?ver=1.7.9.6
- https://clixlr8.com/wp-includes/css/dashicons.min.css?ver=4.9.8
- https://clixlr8.com/wp-includes/js/thickbox/thickbox.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/super-socializer/css/front.css?ver=7.12.1
- https://clixlr8.com/wp-content/plugins/super-socializer/css/share-svg.css?ver=7.12.1
- https://clixlr8.com/wp-content/themes/phlox/css/base.css?ver=2.2.21
- https://clixlr8.com/wp-content/themes/phlox/css/auxin-icon.css?ver=2.2.21
- https://clixlr8.com/wp-content/themes/phlox/css/main.css?ver=2.2.21
- https://clixlr8.com/wp-content/themes/phlox/css/other/third-party.css?ver=2.2.21
- http://fonts.googleapis.com/css?family=Raleway%3A400%2C900italic%2C900%2C800italic %2C800%2C700italic%2C700%2C600italic%2C600%2C500italic%2C500%2C400italic%2C30 0italic%2C300%2C200italic%2C200%2C100italic%2C100&ver=7.9
- https://clixlr8.com/wp-content/uploads/phlox/custom.css?ver=7.9

https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/css/theme-deep-purple.css?ver=1.1.1

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 285B (47% reduction).

Compressing https://c.sharethis.mgr.consensu.org/v1.0/cmp/portal.html could save 285B (47% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://clixlr8.com/wp-includes/js/thickbox/loadingAnimation.gif (expiration not specified)
- http://superchargedsoloads.com/banners/468x60.gif (expiration not specified)
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/img/bg-hearts.png (expiration not specified)
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/img/wheel-deep-purple.png (expiration not specified)
- https://clixlr8.com/wp-content/themes/phlox/css/images/svg/symbols.svg (expiration not specified)
- https://clixlr8.com/wp-content/uploads/2017/11/scottish-castle-owned-by-clixlr8.jpg (expiration not specified)

- https://buttons-config.sharethis.com/js/5b097eec60e2e90011e285ec.js (60 seconds)
- http://connect.facebook.net/en_US/sdk.js (20 minutes)
- http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js (60 minutes)
- http://platform-api.sharethis.com/js/sharethis.js (60 minutes)

Reduce server response time

In our test, your server responded in 0.42 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 6.3KiB (19% reduction).

- Minifying https://clixlr8.com/wp-content/themes/phlox/css/base.css?ver=2.2.21 could save 3.2KiB (19% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/css/jquery-ui-1.9.1.custom.css?ver=4.9.8 could save 1.5KiB (26% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/uploads/phlox/custom.css?ver=7.9 could save 463B (35% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/ultimate-faqs/css/ewd-ufaqstyles.css?ver=4.9.8 could save 349B (17% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.css?ver=2.9.1 could save 340B (11% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/the-post-

grid/assets/css/thepostgrid.css?ver=2.2.4 could save 277B (11% reduction) after compression.

 Minifying https://clixlr8.com/wp-content/plugins/paid-membershipspro/css/frontend.css?ver=1.9.5.3 could save 225B (12% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 2.3KiB (12% reduction).

- Minifying http://clixlr8.com/ could save 2.1KiB (11% reduction) after compression.
- Minifying https://c.sharethis.mgr.consensu.org/v1.0/cmp/portal.html could save 191B (31% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify lavaScript for the following resources to reduce their size by 12.7KiB (29% reduction).

- Minifying https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/jquery-uitimepicker-addon.js?ver=4.9.8 could save 5.7KiB (36% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.js?ver=2.9.1 could save 2.7KiB (25% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/themes/phlox/js/solo/modernizr-custom.min.js?ver=2.2.21 could save 1.6KiB (21% reduction) after compression.
- Minifying https://clixlr8.com/wp-includes/js/thickbox/thickbox.js?ver=3.1-20121105 could save 1.2KiB (32% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-user-

frontend/assets/js/upload.js?ver=4.9.8 could save 569B (27% reduction) after compression.

- Minifying https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/js/subscriptions.js?ver=4.9.8 could save 360B (21% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/billing-address.js?ver=4.9.8 could save 222B (19% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/uploads/phlox/custom.js?ver=7.8 could save 149B (43% reduction) after compression.
- Minifying https://clixlr8.com/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4 could save 115B (12% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 10.8KiB (41% reduction).

Compressing http://superchargedsoloads.com/banners/468x60.gif could save 10.8KiB (41% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. Prioritize visible content that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 61% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:57



1 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

98 / 100 User Experience



Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target SuperChargedSoloAds.com Review and 1 others are close to other tap targets final.
- The tap target Affiliate Products and 11 others are close to other tap targets.
- The tap target <div class="aux-goto-top-b...ign-btn-center"></div> is close to 1 other tap targets.
- The tap target <input id="ckb-consent checkbox 1" type="checkbox"> is close to 1 other tap targets final.
- The tap target <label for="ckb-consent checkbox 1">Receive Emails...CLIXLR8 Online</label> is close to 1 other tap targets final.
- The tap target <button id="CyU4T91SLrmYI">Continue</button> and 1 others are close to other tap targets final.
- The tap target Optout and 7 others are close to other tap targets final.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of avoiding plugins.

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about configuring viewports.

Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

Desktop





80 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 17 blocking script resources and 21 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://clixlr8.com/wp-includes/js/jquery/jquery.js?ver=1.12.4
- https://clixlr8.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/js/public.min.js?ver=1.1.1
- https://clixlr8.com/wp-includes/js/jquery/ui/core.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/jquery/ui/datepicker.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/jquery/ui/widget.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4
- https://clixlr8.com/wp-includes/js/plupload/moxie.min.js?ver=1.3.5
- https://clixlr8.com/wp-includes/js/plupload/plupload.min.js?ver=2.1.9
- https://clixlr8.com/wp-includes/js/plupload/handlers.min.js?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/jquery-ui-timepickeraddon.js?ver=4.9.8
- https://clixlr8.com/wp-includes/js/jquery/ui/sortable.min.js?ver=1.11.4
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/upload.js?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/frontendform.min.js?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.js?ver=2.9.1
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/billing-

address.js?ver=4.9.8

https://clixlr8.com/wp-content/themes/phlox/js/solo/modernizr-custom.min.js?ver=2.2.21

Optimize CSS Delivery of the following:

- https://clixlr8.com/wp-content/plugins/paid-memberships-pro/css/frontend.css?ver=1.9.5.3
- https://clixlr8.com/wp-content/plugins/the-post-grid/assets/css/thepostgrid.css?ver=2.2.4
- https://clixlr8.com/wp-content/plugins/top-10/css/default-style.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/ultimate-fags/css/ewd-ufag-styles.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/ultimate-faqs/css/rrssb-min.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/css/public.min.css?ver=1.1.1
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/css/frontendforms.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/css/jqueryui-1.9.1.custom.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.css?ver=2.9.1
- https://clixlr8.com/wp-content/plugins/wp-whatsapp-chat/css/style.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/mycred/assets/css/mycred-front.css?ver=1.7.9.6
- https://clixlr8.com/wp-includes/css/dashicons.min.css?ver=4.9.8
- https://clixlr8.com/wp-includes/js/thickbox/thickbox.css?ver=4.9.8
- https://clixlr8.com/wp-content/plugins/super-socializer/css/front.css?ver=7.12.1
- https://clixlr8.com/wp-content/plugins/super-socializer/css/share-svg.css?ver=7.12.1
- https://clixlr8.com/wp-content/themes/phlox/css/base.css?ver=2.2.21
- https://clixlr8.com/wp-content/themes/phlox/css/auxin-icon.css?ver=2.2.21
- https://clixlr8.com/wp-content/themes/phlox/css/main.css?ver=2.2.21
- https://clixlr8.com/wp-content/themes/phlox/css/other/third-party.css?ver=2.2.21
- http://fonts.googleapis.com/css?family=Raleway%3A400%2C900italic%2C900%2C800italic %2C800%2C700italic%2C700%2C600italic%2C500%2C500italic%2C500%2C400italic%2C30 0italic%2C300%2C200italic%2C200%2C100italic%2C100&ver=7.9
- https://clixlr8.com/wp-content/uploads/phlox/custom.css?ver=7.9

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 285B (47% reduction).

• Compressing https://c.sharethis.mgr.consensu.org/v1.0/cmp/portal.html could save 285B (47% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://clixlr8.com/wp-includes/js/thickbox/loadingAnimation.gif (expiration not specified)
- http://superchargedsoloads.com/banners/468x60.gif (expiration not specified)
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/img/bg-hearts.png (expiration not specified)
- https://clixlr8.com/wp-content/plugins/wp-optin-wheel/public/img/wheel-deep-purple.png (expiration not specified)
- https://clixlr8.com/wp-content/themes/phlox/css/images/svg/symbols.svg (expiration not specified)
- https://clixlr8.com/wp-content/uploads/2017/11/scottish-castle-owned-by-clixlr8.jpg (expiration not specified)
- https://buttons-config.sharethis.com/js/5b097eec60e2e90011e285ec.js (60 seconds)
- http://connect.facebook.net/en_US/sdk.js (20 minutes)
- http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js (60 minutes)

http://platform-api.sharethis.com/js/sharethis.js (60 minutes)

Reduce server response time

In our test, your server responded in 0.45 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 6.3KiB (19% reduction).

- Minifying https://clixlr8.com/wp-content/themes/phlox/css/base.css?ver=2.2.21 could save 3.2KiB (19% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/css/jquery-ui-1.9.1.custom.css?ver=4.9.8 could save 1.5KiB (26% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/uploads/phlox/custom.css?ver=7.9 could save 463B (35% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/ultimate-faqs/css/ewd-ufaqstyles.css?ver=4.9.8 could save 349B (17% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.css?ver=2.9.1 could save 340B (11% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/the-postgrid/assets/css/thepostgrid.css?ver=2.2.4 could save 277B (11% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/paid-memberships-pro/css/frontend.css?ver=1.9.5.3 could save 225B (12% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 2.3KiB (12% reduction).

- Minifying http://clixlr8.com/ could save 2.1KiB (11% reduction) after compression.
- Minifying https://c.sharethis.mgr.consensu.org/v1.0/cmp/portal.html could save 191B (31% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 12.7KiB (29% reduction).

- Minifying https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/jquery-uitimepicker-addon.js?ver=4.9.8 could save 5.7KiB (36% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/vendor/sweetalert2/dist/sweetalert2.js?ver=2.9.1 could save 2.7KiB (25% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/themes/phlox/js/solo/modernizr-custom.min.js?ver=2.2.21 could save 1.6KiB (21% reduction) after compression.
- Minifying https://clixlr8.com/wp-includes/js/thickbox/thickbox.js?ver=3.1-20121105 could save 1.2KiB (32% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/js/upload.js?ver=4.9.8 could save 569B (27% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-userfrontend/assets/js/subscriptions.js?ver=4.9.8 could save 360B (21% reduction) after compression.
- Minifying https://clixlr8.com/wp-content/plugins/wp-user-frontend/assets/js/billing-

Desktop

address.js?ver=4.9.8 could save 222B (19% reduction) after compression.

- Minifying https://clixlr8.com/wp-content/uploads/phlox/custom.js?ver=7.8 could save 149B (43% reduction) after compression.
- Minifying https://clixlr8.com/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4 could save 115B (12% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 10.8KiB (41% reduction).

 Compressing http://superchargedsoloads.com/banners/468x60.gif could save 10.8KiB (41%) reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.