


# PageSpeed Insights

Mobile



40 / 100 Speed

! Should Fix:

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 11 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <https://code.jquery.com/jquery-2.0.2.js>

### [Optimize CSS Delivery](#) of the following:

- <http://www.dmca.com/css/swiper.min.css>
- <http://www.dmca.com/css/nd2016bootstrap.css>

## Mobile

- <http://www.dmca.com/css/nd2016style.css?v>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,300italic,400italic,600,700,700italic,600italic,800>
- <http://www.dmca.com/css/nd2016styles.css?v>
- <https://fonts.googleapis.com/css?family=Hind:400,300,500,600,700>
- <http://www.dmca.com/css/nd2016custom-style.css>
- <http://www.dmca.com/css/nd2016mobile.css>
- <http://www.dmca.com/css/nd2016tab.css>
- <http://www.dmca.com/font-awesome-4.5.0/css/nd2016font-awesome.min.css>
- <https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 690.3KiB (53% reduction).

- Compressing <http://www.dmca.com/img/headerbgg-new.jpg> could save 292.6KiB (74% reduction).
- Compressing <http://www.dmca.com/img/header-bg3-new.jpg> could save 249.6KiB (76% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/banner-3.jpg> could save 62.1KiB (43% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/dmca-takedowns-removal.jpg> could save 30.6KiB (29% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/dmca-content-theft-problem.jpg> could save 27.2KiB (33% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/protection-bg.jpg> could save 14.9KiB (13% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/banner-pro.jpg> could save 7KiB (13% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/3d-protection-bg.jpg> could save

## Mobile

4.3KiB (11% reduction).

- Compressing <http://images.dmca.com/Badges/dmca-badge-w100-1x1-01.png> could save 2KiB (32% reduction).



### Consider Fixing:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.dmca.com/jsonp/badges> (expiration not specified)
- <http://static.hotjar.com/c/hotjar-391910.js?sv=5> (60 seconds)
- [https://static.doubleclick.net/instream/ad\\_status.js](https://static.doubleclick.net/instream/ad_status.js) (15 minutes)
- [http://connect.facebook.net/en\\_US/all.js](http://connect.facebook.net/en_US/all.js) (20 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 9.1KiB (16% reduction).

- Minifying <http://www.dmca.com/css/nd2016styles.css> could save 2.7KiB (14% reduction) after compression.
- Minifying <http://www.dmca.com/css/nd2016styles.css?v> could save 2.7KiB (14% reduction) after compression.

## Mobile

- Minifying <https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css> could save 1.3KiB (17% reduction) after compression.
- Minifying <http://www.dmca.com/css/nd2016style.css> could save 1.2KiB (20% reduction) after compression.
- Minifying <http://www.dmca.com/css/nd2016style.css?v> could save 1.2KiB (20% reduction) after compression.

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.3KiB (23% reduction).

- Minifying <http://www.dmca.com/> could save 3.3KiB (23% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 83.3KiB (41% reduction).

- Minifying <https://code.jquery.com/ui/1.12.1/jquery-ui.js> could save 46.2KiB (38% reduction) after compression.
- Minifying <https://code.jquery.com/jquery-2.0.2.js> could save 33.9KiB (49% reduction) after compression.
- Minifying <http://www.dmca.com/js/bootstrap.js> could save 3.2KiB (24% reduction) after compression.



4 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 99 / 100 User Experience

### Consider Fixing:

#### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="#home-carousel-slider_2" class="left carousel-control"></a>` and 1 others are close to other tap targets.
- The tap target `<a href="/badges.aspx?r=hp-gffb" class="btn btn-info white-btn">get your free badge</a>` and 1 others are close to other tap targets.

## Mobile



### 4 Passed Rules

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

#### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

#### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop

## Desktop



51 / 100 Speed

! Should Fix:

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 11 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <https://code.jquery.com/jquery-2.0.2.js>

#### [Optimize CSS Delivery](#) of the following:

- <http://www.dmca.com/css/swiper.min.css>
- <http://www.dmca.com/css/nd2016bootstrap.css>
- <http://www.dmca.com/css/nd2016style.css?v>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,300italic,400italic,600,700,700italic,600italic,800>
- <http://www.dmca.com/css/nd2016styles.css?v>
- <https://fonts.googleapis.com/css?family=Hind:400,300,500,600,700>
- <http://www.dmca.com/css/nd2016custom-style.css>
- <http://www.dmca.com/css/nd2016mobile.css>

## Desktop

- <http://www.dmca.com/css/nd2016tab.css>
- <http://www.dmca.com/font-awesome-4.5.0/css/nd2016font-awesome.min.css>
- <https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 693.7KiB (53% reduction).

- Compressing <http://www.dmca.com/img/headerbgg-new.jpg> could save 292.6KiB (74% reduction).
- Compressing <http://www.dmca.com/img/header-bg3-new.jpg> could save 249.6KiB (76% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/banner-3.jpg> could save 62.1KiB (43% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/dmca-takedowns-removal.jpg> could save 30.6KiB (29% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/dmca-content-theft-problem.jpg> could save 27.2KiB (33% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/protection-bg.jpg> could save 14.9KiB (13% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/banner-pro.jpg> could save 7KiB (13% reduction).
- Compressing <https://wsa-dmcaservices.netdna-ssl.com/img/3d-protection-bg.jpg> could save 4.3KiB (11% reduction).
- Compressing <http://images.dmca.com/Badges/dmca-badge-w100-1x1-01.png> could save 2KiB (32% reduction).
- Compressing and resizing [https://wsa-dmcaservices.netdna-ssl.com/img/dmca\\_logo.png](https://wsa-dmcaservices.netdna-ssl.com/img/dmca_logo.png) could save 1.8KiB (61% reduction).
- Compressing and resizing <https://wsa-dmcaservices.netdna-ssl.com/img/benefit-2.png> could save 858B (18% reduction).
- Compressing and resizing <https://wsa-dmcaservices.netdna-ssl.com/img/benefit-1.png> could save 733B (14% reduction).



## Consider Fixing:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.dmca.com/jsonp/badges> (expiration not specified)
- <http://static.hotjar.com/c/hotjar-391910.js?sv=5> (60 seconds)
- [https://static.doubleclick.net/instream/ad\\_status.js](https://static.doubleclick.net/instream/ad_status.js) (15 minutes)
- [http://connect.facebook.net/en\\_US/all.js](http://connect.facebook.net/en_US/all.js) (20 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 9.1KiB (16% reduction).

- Minifying <http://www.dmca.com/css/nd2016styles.css> could save 2.7KiB (14% reduction) after compression.
- Minifying <http://www.dmca.com/css/nd2016styles.css?v> could save 2.7KiB (14% reduction) after compression.
- Minifying <https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css> could save 1.3KiB (17% reduction) after compression.
- Minifying <http://www.dmca.com/css/nd2016style.css> could save 1.2KiB (20% reduction) after compression.

## Desktop

- Minifying <http://www.dmca.com/css/nd2016style.css?v> could save 1.2KiB (20% reduction) after compression.

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.3KiB (23% reduction).

- Minifying <http://www.dmca.com/> could save 3.3KiB (23% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 83.3KiB (41% reduction).

- Minifying <https://code.jquery.com/ui/1.12.1/jquery-ui.js> could save 46.2KiB (38% reduction) after compression.
- Minifying <https://code.jquery.com/jquery-2.0.2.js> could save 33.9KiB (49% reduction) after compression.
- Minifying <http://www.dmca.com/js/bootstrap.js> could save 3.2KiB (24% reduction) after compression.



4 Passed Rules

### Avoid landing page redirects

## Desktop

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).