

PageSpeed Insights

Mobile



80 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://rubular.com/assets/application-9825f7b9ae530c7f7dfba21d4e402d11.js>

[Optimize CSS Delivery](#) of the following:

- <http://rubular.com/assets/application-f2e156d28da7ea6be432b1cbfbf2f29e.css>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 37.7KiB (70% reduction).

- Compressing <http://rubular.com/assets/application-9825f7b9ae530c7f7dfba21d4e402d11.js> could save 34.2KiB (70% reduction).
- Compressing <http://rubular.com/assets/application-f2e156d28da7ea6be432b1cbfbf2f29e.css> could save 3.5KiB (70% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://rubular.com/assets/ajax-loader-53c95d088d11de11b87a110abf0ff9c5.gif> (expiration not specified)
- <http://rubular.com/assets/application-9825f7b9ae530c7f7dfba21d4e402d11.js> (expiration not specified)
- <http://rubular.com/assets/application-f2e156d28da7ea6be432b1cbfbf2f29e.css> (expiration not specified)
- <http://www.google-analytics.com/ga.js> (2 hours)

 7 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

Mobile

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- a Ruby regular...ression editor renders only 8 pixels tall (20 CSS pixels) final.
- Your regular expression: renders only 6 pixels tall (16 CSS pixels) final.
- / and 1 others render only 8 pixels tall (20 CSS pixels) final.
- Your test string: renders only 6 pixels tall (16 CSS pixels) final.
- Wrap words renders only 4 pixels tall (11 CSS pixels) final.
- Show invisibles and 1 others render only 4 pixels tall (11 CSS pixels) final.
- Rubular is a R...ou write them. and 2 others render only 6 pixels tall (16 CSS pixels) final.
- try an example renders only 6 pixels tall (16 CSS pixels) final.
- make permalink and 1 others render only 4 pixels tall (11 CSS pixels) final.
- [a-zA-Z] and 23 others render only 5 pixels tall (13 CSS pixels) final.
- Any word chara...r, underscore) and 23 others render only 5 pixels tall (13 CSS pixels) final.
- perform #{...}...ions only once and 4 others render only 5 pixels tall (12 CSS pixels) final.

Mobile

- i and 3 others render only 5 pixels tall (12 CSS pixels) final.
- . For question...ues, visit the and 6 others render only 5 pixels tall (14 CSS pixels) final.
- Michael Lovitt and 3 others render only 5 pixels tall (14 CSS pixels) final.
- (and 3 others render only 5 pixels tall (12 CSS pixels) final.
- @rubular and 1 others render only 5 pixels tall (12 CSS pixels) final.

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,043 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `<h1>Rubular</h1>` falls outside the viewport.
- The element `<h2>a Ruby regular...ression editor</h2>` falls outside the viewport.
- The element `<input id="options" type="text" name="options">` falls outside the viewport.
- The element `<div id="start_instructions" class="notice">Rubular is a R...ry an example.</div>` falls outside the viewport.
- The element `<div class="form_controls">make permalink...clear fields</div>` falls outside the viewport.
- The element `<h3>Regex quick reference</h3>` falls outside the viewport.
- The element `<p>options: i c...ions only once</p>` falls outside the viewport.
- The element `<p>For a complete...e the Pickaxe.</p>` falls outside the viewport.
- The element `Paypal` falls outside the viewport.

Mobile

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<label>Wrap words</label>` is close to 1 other tap targets final.
- The tap target `<label>Wrap words</label>` and 3 others are close to other tap targets final.
- The tap target `<label>Show invisibles</label>` is close to 1 other tap targets final.
- The tap target `Pickaxe` is close to 1 other tap targets final.
- The tap target `@lovitt` is close to 1 other tap targets final.



1 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Desktop

Desktop



90 / 100 Speed

! Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 37.7KiB (70% reduction).

- Compressing <http://rubular.com/assets/application-9825f7b9ae530c7f7dfba21d4e402d11.js> could save 34.2KiB (70% reduction).
- Compressing <http://rubular.com/assets/application-f2e156d28da7ea6be432b1cbfbf2f29e.css> could save 3.5KiB (70% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://rubular.com/assets/ajax-loader-53c95d088d11de11b87a110abf0ff9c5.gif> (expiration not specified)
- <http://rubular.com/assets/application-9825f7b9ae530c7f7dfba21d4e402d11.js> (expiration not specified)

Desktop

- <http://rubular.com/assets/application-f2e156d28da7ea6be432b1cbfbf2f29e.css> (expiration not specified)
- <http://www.google-analytics.com/ga.js> (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://rubular.com/assets/application-9825f7b9ae530c7f7dfba21d4e402d11.js>

[Optimize CSS Delivery](#) of the following:

- <http://rubular.com/assets/application-f2e156d28da7ea6be432b1cbfbf2f29e.css>



7 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Desktop

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).