

PageSpeed Insights

Mobile



58 / 100 Speed

Should Fix:

Reduce server response time

In our test, your server responded in 0.78 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 11 blocking script resources and 11 blocking CSS resources. This causes a delay in rendering your page.

Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.selasari.desa.id/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://www.selasari.desa.id/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/bootstrap/js/bootstrap.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/front.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/chosen.jquery.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-includes/js/jquery/jquery.form.min.js?ver=4.2.1>
- http://www.selasari.desa.id/wp-content/themes/Newspaper/js/tagdiv_theme.min.js?ver=8.8.2
- http://www.selasari.desa.id/wp-content/plugins/td-cloud-library/assets/js/js_files_for_front.min.js?ver=b750612463a242d669bd59c5cf49d705
- <http://www.selasari.desa.id/wp-includes/js/wp-embed.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/js/unitegallery.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/themes/slider/ug-theme-slider.js?ver=4.9.8>

[Optimize CSS Delivery](#) of the following:

- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/fontawesome/css/fontawesome.min.css?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/bootstrap/css/bootstrap.css?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/css/front.css?ver=4.9.8>
- <https://fonts.googleapis.com/css?family=Josefin+Sans:400,600,700>
- <http://www.selasari.desa.id/wp-content/plugins/wp-statistics/assets/css/frontend.css?ver=12.4.0>
- <http://www.selasari.desa.id/wp-content/plugins/td-newsletter/style.css?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/td-composer/td-multi-purpose/style.css?ver=3593e6198288cd1f8b28dc83dd3b8ada>

Mobile

- <http://fonts.googleapis.com/css?family=Open+Sans%3A300italic%2C400%2C400italic%2C600%2C600italic%2C700%7CRoboto%3A300%2C400%2C400italic%2C500%2C500italic%2C700%2C900&ver=8.8.2>
- <http://www.selasari.desa.id/wp-content/themes/Newspaper/style.css?ver=8.8.2>
- http://www.selasari.desa.id/wp-content/plugins/td-cloud-library/assets/css/tdb_less_front.css?ver=b750612463a242d669bd59c5cf49d705
- <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/css/unite-gallery.css?ver=4.9.8>

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 19.4KiB (15% reduction).

- Minifying <http://www.selasari.desa.id/wp-content/themes/Newspaper/style.css?ver=8.8.2> could save 17.9KiB (16% reduction) after compression.
- Minifying http://www.selasari.desa.id/wp-content/plugins/td-cloud-library/assets/css/tdb_less_front.css?ver=b750612463a242d669bd59c5cf49d705 could save 770B (11% reduction) after compression.
- Minifying <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery->

Mobile

plugin/css/unite-gallery.css?ver=4.9.8 could save 750B (16% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 2.2KiB (14% reduction).

- Minifying <http://www.selasari.desa.id/> could save 2.2KiB (14% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.3KiB (21% reduction).

- Minifying <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/chosen.jquery.min.js?ver=4.9.8> could save 1.3KiB (16% reduction) after compression.
- Minifying <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/front.js?ver=4.9.8> could save 655B (33% reduction) after compression.
- Minifying <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/themes/slider/ug-theme-slider.js?ver=4.9.8> could save 378B (38% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Mobile

[Optimize the following images](#) to reduce their size by 89KiB (33% reduction).

- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/09/musyawaharabumdes-indonesia-1.jpg> could save 26.7KiB (42% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/08/rpjm-rkp.jpg> could save 25.4KiB (42% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/rivertubingsantirah-5.jpg> could save 16.8KiB (21% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/logo-web-desa.png> could save 7.3KiB (26% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/PERMEN-SOTK-218x150.png> could save 6.5KiB (34% reduction).
- Compressing <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/images/play-button-square.png> could save 2.7KiB (59% reduction).
- Compressing <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/images/button-close.png> could save 2KiB (29% reduction).
- Compressing <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/images/cover-grid.png> could save 859B (92% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/20180720-Pedoman-Peringatan-HUT-Ke-73-RI-tahun-2018-218x150.jpg> could save 506B (11% reduction).
- Compressing http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/skins/default/slider_bullets.png could save 150B (34% reduction).
- Compressing http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/skins/default/slider_arrow_right.png could save 138B (28% reduction).
- Compressing http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/skins/default/slider_arrow_left.png could save 135B (29% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Mobile

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div class="ug-bullet">` is close to 1 other tap targets.
- The tap target `<div class="ug-bullet ug-bullet-active">` is close to 2 other tap targets.
- The tap target `<div class="ug-bullet">` is close to 1 other tap targets.
- The tap target `PALING POPULER` is close to 1 other tap targets.
- The tap target `Kabar Desa18` and 6 others are close to other tap targets.

4 Passed Rules

Mobile

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



72 / 100 Speed

Should Fix:

Desktop

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 11 blocking script resources and 11 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.selasari.desa.id/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://www.selasari.desa.id/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/bootstrap/js/bootstrap.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/front.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/chosen.jquery.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-includes/js/jquery/jquery.form.min.js?ver=4.2.1>
- http://www.selasari.desa.id/wp-content/themes/Newspaper/js/tagdiv_theme.min.js?ver=8.8.2
- http://www.selasari.desa.id/wp-content/plugins/td-cloud-library/assets/js/js_files_for_front.min.js?ver=b750612463a242d669bd59c5cf49d705
- <http://www.selasari.desa.id/wp-includes/js/wp-embed.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/js/unitegallery.min.js?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/themes/slider/ug-theme-slider.js?ver=4.9.8>

[Optimize CSS Delivery](#) of the following:

- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/fontawesome/css/fontawesome.min.css?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/bootstrap/css/bootstrap.css?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/css/front.css?ver=4.9.8>

Desktop

- <https://fonts.googleapis.com/css?family=Josefin+Sans:400,600,700>
- <http://www.selasari.desa.id/wp-content/plugins/wp-statistics/assets/css/frontend.css?ver=12.4.0>
- <http://www.selasari.desa.id/wp-content/plugins/td-newsletter/style.css?ver=4.9.8>
- <http://www.selasari.desa.id/wp-content/plugins/td-composer/td-multi-purpose/style.css?ver=3593e6198288cd1f8b28dc83dd3b8ada>
- <http://fonts.googleapis.com/css?family=Open+Sans%3A300italic%2C400%2C400italic%2C600%2C600italic%2C700%7CRoboto%3A300%2C400%2C400italic%2C500%2C500italic%2C700%2C900&ver=8.8.2>
- <http://www.selasari.desa.id/wp-content/themes/Newspaper/style.css?ver=8.8.2>
- http://www.selasari.desa.id/wp-content/plugins/td-cloud-library/assets/css/tdb_less_front.css?ver=b750612463a242d669bd59c5cf49d705
- <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/css/unite-gallery.css?ver=4.9.8>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 135.5KiB (40% reduction).

- Compressing and resizing https://www.selasari.desa.id/wp-content/uploads/2018/07/pepedan_hills.jpg could save 49.8KiB (72% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/09/musyawahar-bumdes-indonesia-1.jpg> could save 26.7KiB (42% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/08/rpjm-rkp.jpg> could save 25.4KiB (42% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/rivertubingsantirah-5.jpg> could save 16.8KiB (21% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/logo-web-desa.png> could save 7.3KiB (26% reduction).
- Compressing <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/images/play-button-square.png> could save 2.7KiB (59% reduction).
- Compressing <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/images/button-close.png> could save 2KiB (29% reduction).

Desktop

- Compressing <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/images/cover-grid.png> could save 859B (92% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/08/hqdefault-1-100x70.jpg> could save 498B (21% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/09/musyawaharabumdes-indonesia-1-100x70.jpg> could save 459B (12% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/Peran-ortu-1-100x70.jpg> could save 442B (12% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/iki-moka1-100x70.jpeg> could save 400B (12% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/08/PELANTIKAN-KADUS-SALAKAMBANG-100x70.jpeg> could save 389B (13% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/07/rivertubingsantirah-5-100x70.jpg> could save 388B (11% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/08/IMG-20180828-WA0067-100x70.jpg> could save 386B (13% reduction).
- Compressing <https://www.selasari.desa.id/wp-content/uploads/2018/08/IMG-20180420-WA0004-100x70.jpg> could save 376B (12% reduction).
- Compressing https://www.selasari.desa.id/wp-content/uploads/2018/08/IMG_20180817_085015-100x70.jpg could save 371B (15% reduction).
- Compressing http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/skins/default/slider_bullets.png could save 150B (34% reduction).
- Compressing http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/skins/default/slider_arrow_right.png could save 138B (28% reduction).
- Compressing http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/skins/default/slider_arrow_left.png could save 135B (29% reduction).



Consider Fixing:

Leverage browser caching

Desktop

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)

Reduce server response time

In our test, your server responded in 0.69 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 19.4KiB (15% reduction).

- Minifying <http://www.selasari.desa.id/wp-content/themes/Newspaper/style.css?ver=8.8.2> could save 17.9KiB (16% reduction) after compression.
- Minifying http://www.selasari.desa.id/wp-content/plugins/td-cloud-library/assets/css/tdb_less_front.css?ver=b750612463a242d669bd59c5cf49d705 could save 770B (11% reduction) after compression.
- Minifying <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/css/unite-gallery.css?ver=4.9.8> could save 750B (16% reduction) after compression.

Minify HTML

Desktop

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 2.2KiB (14% reduction).

- Minifying <http://www.selasari.desa.id/> could save 2.2KiB (14% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.3KiB (21% reduction).

- Minifying <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/chosen.jquery.min.js?ver=4.9.8> could save 1.3KiB (16% reduction) after compression.
- Minifying <http://www.selasari.desa.id/wp-content/plugins/download-manager/assets/js/front.js?ver=4.9.8> could save 655B (33% reduction) after compression.
- Minifying <http://www.selasari.desa.id/wp-content/plugins/unite-gallery-lite/unitegallery-plugin/themes/slider/ug-theme-slider.js?ver=4.9.8> could save 378B (38% reduction) after compression.



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Desktop

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).