

# PageSpeed Insights

## Mobile



55 / 100 Speed

Should Fix:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- [http://s10.histats.com/js15\\_as.js](http://s10.histats.com/js15_as.js) (expiration not specified)
- <http://skillprogramming.com/images/categories/geek.jpg> (expiration not specified)
- [http://skillprogramming.com/images/categories/how\\_to.jpg](http://skillprogramming.com/images/categories/how_to.jpg) (expiration not specified)
- <http://skillprogramming.com/images/categories/html+css.png> (expiration not specified)
- <http://skillprogramming.com/images/categories/programming.png> (expiration not specified)
- <http://skillprogramming.com/images/categories/seo.jpg> (expiration not specified)

## Mobile

- <http://skillprogramming.com/images/categories/smartphone.jpg> (expiration not specified)
- [http://skillprogramming.com/images/categories/tech\\_news.png](http://skillprogramming.com/images/categories/tech_news.png) (expiration not specified)
- [http://skillprogramming.com/images/categories/video\\_tutorials.jpg](http://skillprogramming.com/images/categories/video_tutorials.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/20\\_female\\_versions\\_of\\_superheroes\\_and\\_villains\\_that\\_seem\\_better\\_than\\_the\\_original.png](http://skillprogramming.com/images/pictuers/20_female_versions_of_superheroes_and_villains_that_seem_better_than_the_original.png) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/c\\_or\\_html.jpg](http://skillprogramming.com/images/pictuers/c_or_html.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/damn\\_so\\_cute.gif](http://skillprogramming.com/images/pictuers/damn_so_cute.gif) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/end\\_this\\_function\\_and\\_my\\_life.jpg](http://skillprogramming.com/images/pictuers/end_this_function_and_my_life.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/facebook\\_needs\\_to\\_open\\_a\\_browser.jpg](http://skillprogramming.com/images/pictuers/facebook_needs_to_open_a_browser.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/how\\_to\\_explain\\_the\\_difference\\_between\\_frontend\\_and\\_backend\\_development.jpg](http://skillprogramming.com/images/pictuers/how_to_explain_the_difference_between_frontend_and_backend_development.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/html\\_css\\_javascript.jpg](http://skillprogramming.com/images/pictuers/html_css_javascript.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/programmer\\_life\\_goals.png](http://skillprogramming.com/images/pictuers/programmer_life_goals.png) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/see\\_how\\_you\\_can\\_send\\_files\\_from\\_pc\\_to\\_pc\\_with\\_1024gbps\\_by\\_nokia\\_software.jpg](http://skillprogramming.com/images/pictuers/see_how_you_can_send_files_from_pc_to_pc_with_1024gbps_by_nokia_software.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/tattoo\\_design\\_ideas\\_for\\_a\\_techie.jpg](http://skillprogramming.com/images/pictuers/tattoo_design_ideas_for_a_techie.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/what\\_men\\_think\\_about\\_in\\_one\\_picture.jpg](http://skillprogramming.com/images/pictuers/what_men_think_about_in_one_picture.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_programmers\\_have\\_no\\_time.jpg](http://skillprogramming.com/images/pictuers/when_programmers_have_no_time.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_you\\_ask\\_the\\_client\\_to\\_send\\_you\\_a\\_screenshot\\_of\\_the\\_problem\\_he\\_is\\_experiencing.jpg](http://skillprogramming.com/images/pictuers/when_you_ask_the_client_to_send_you_a_screenshot_of_the_problem_he_is_experiencing.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_you\\_copy\\_everything\\_from\\_the\\_internet.jpg](http://skillprogramming.com/images/pictuers/when_you_copy_everything_from_the_internet.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_you\\_finally\\_meet\\_your\\_internet\\_friend.jpg](http://skillprogramming.com/images/pictuers/when_you_finally_meet_your_internet_friend.jpg) (expiration not specified)
- <http://skillprogramming.com/images/skin1/bg.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/bottomBG.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/contentBGcenter.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/contentBGfooter.png> (expiration not specified)

## Mobile

- <http://skillprogramming.com/images/skin1/contentBGtop.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/logo.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/topnavBG.png> (expiration not specified)
- <http://skillprogramming.com/js/jquery-1.4.1.min.js> (expiration not specified)
- <http://skillprogramming.com/js/jquery-1.4.2.min.js> (expiration not specified)
- <http://skillprogramming.com/js/jquerslidemenu.js> (expiration not specified)
- <http://skillprogramming.com/js/pagination.js> (expiration not specified)
- <http://skillprogramming.com/js/zoominfo.js> (expiration not specified)
- <http://skillprogramming.com/styles/960.css> (expiration not specified)
- <http://skillprogramming.com/styles/jquerslidemenu.css> (expiration not specified)
- <http://skillprogramming.com/styles/reset.css> (expiration not specified)
- <http://skillprogramming.com/styles/screen.css> (expiration not specified)
- <http://skillprogramming.com/styles/skins/skin1.css> (expiration not specified)
- <http://skillprogramming.com/wmain-css.css> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-86645064-1> (15 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://skillprogramming.com/js/jquery-1.4.2.min.js>

## Mobile

- <http://skillprogramming.com/js/zoominfo.js>
- <http://skillprogramming.com/js/jquery-1.4.1.min.js>
- <http://skillprogramming.com/js/jqueryslidemenu.js>
- <http://skillprogramming.com/js/pagination.js>

[Optimize CSS Delivery](#) of the following:

- <http://skillprogramming.com/wmain-css.css>
- <http://skillprogramming.com/styles/reset.css>
- <http://skillprogramming.com/styles/960.css>
- <http://skillprogramming.com/styles/screen.css>
- <http://skillprogramming.com/styles/jqueryslidemenu.css>
- <http://skillprogramming.com/styles/skins/skin1.css>
- <http://skillprogramming.com/css/style.css>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 275.8KiB (42% reduction).

- Compressing [http://skillprogramming.com/images/categories/video\\_tutorials.jpg](http://skillprogramming.com/images/categories/video_tutorials.jpg) could save 56KiB (41% reduction).
- Compressing [http://skillprogramming.com/images/pictuers/c\\_or\\_html.jpg](http://skillprogramming.com/images/pictuers/c_or_html.jpg) could save 53.8KiB (43% reduction).
- Compressing [http://skillprogramming.com/images/pictuers/html\\_css\\_javascript.jpg](http://skillprogramming.com/images/pictuers/html_css_javascript.jpg) could save 53KiB (41% reduction).
- Compressing [http://skillprogramming.com/images/pictuers/see\\_how\\_you\\_can\\_send\\_files\\_from\\_pc\\_to\\_pc\\_with\\_1024gbps\\_by\\_nokia\\_software.jpg](http://skillprogramming.com/images/pictuers/see_how_you_can_send_files_from_pc_to_pc_with_1024gbps_by_nokia_software.jpg) could save 32.2KiB (43% reduction).
- Compressing <http://skillprogramming.com/images/categories/seo.jpg> could save 19.1KiB (41% reduction).
- Compressing [http://skillprogramming.com/images/pictuers/facebook\\_needs\\_to\\_open\\_a\\_browser.jpg](http://skillprogramming.com/images/pictuers/facebook_needs_to_open_a_browser.jpg) could

## Mobile

save 15.8KiB (41% reduction).

- Compressing <http://skillprogramming.com/images/categories/smartphone.jpg> could save 15.2KiB (42% reduction).
- Compressing [http://skillprogramming.com/images/categories/how\\_to.jpg](http://skillprogramming.com/images/categories/how_to.jpg) could save 13.5KiB (48% reduction).
- Compressing <http://skillprogramming.com/images/categories/geek.jpg> could save 7KiB (36% reduction).
- Compressing <http://skillprogramming.com/images/skin1/topnavBG.png> could save 6.6KiB (50% reduction).
- Compressing <http://skillprogramming.com/images/skin1/bottomBG.png> could save 1KiB (50% reduction).
- Compressing <http://skillprogramming.com/images/skin1/logo.png> could save 1,015B (27% reduction).
- Compressing <http://skillprogramming.com/images/skin1/contentBGfooter.png> could save 897B (51% reduction).
- Compressing <http://skillprogramming.com/images/skin1/contentBGtop.png> could save 585B (45% reduction).
- Compressing <http://skillprogramming.com/images/skin1/contentBGcenter.png> could save 244B (53% reduction).



### Consider Fixing:

#### Reduce server response time

In our test, your server responded in 0.32 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

#### Minify CSS

## Mobile

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2KiB (21% reduction).

- Minifying <http://skillprogramming.com/styles/skins/skin1.css> could save 575B (17% reduction) after compression.
- Minifying <http://skillprogramming.com/styles/screen.css> could save 557B (17% reduction) after compression.
- Minifying <http://skillprogramming.com/wmain-css.css> could save 541B (24% reduction) after compression.
- Minifying <http://skillprogramming.com/styles/jqueryslidemenu.css> could save 350B (44% reduction) after compression.

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 509B (14% reduction).

- Minifying <http://skillprogramming.com/> could save 509B (14% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 351B (34% reduction).

- Minifying <http://skillprogramming.com/js/jqueryslidemenu.js> could save 351B (34% reduction) after compression.



### 3 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 66 / 100 User Experience



### Should Fix:

#### Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

#### Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to

## Mobile

read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Video Tutorials and 5 others render only 5 pixels tall (13 CSS pixels) final.
- When you ask t...xperiencing... and 14 others render only 6 pixels tall (16 CSS pixels) final.
- How to Explain...d development. and 7 others render only 5 pixels tall (14 CSS pixels) final.
- View and 5 others render only 5 pixels tall (12 CSS pixels) final.
- Video Tutorials and 7 others render only 6 pixels tall (15 CSS pixels) final.
- Previous and 1 others render only 5 pixels tall (14 CSS pixels).
- 1 renders only 5 pixels tall (14 CSS pixels).
- Next and 5 others render only 5 pixels tall (14 CSS pixels).
- © 2017 Copyrig...ghts Reserved. renders only 4 pixels tall (11 CSS pixels).
- Contact us renders only 4 pixels tall (11 CSS pixels).
- skillprogramming.com renders only 4 pixels tall (11 CSS pixels).

### Consider Fixing:

#### Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,010 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `<h1>skillprogramming.com</h1>` falls outside the viewport.
- The element `<ul>Home...ideo Tutorials</ul>` falls outside the viewport.
- The element `<td></td>` falls outside the viewport.
- The element `<div class="gall">How to Explain...3640 View</div>` falls outside the viewport.



## Mobile

- The element `<h3>Categories</h3>` falls outside the viewport.
- The element `<td></td>` falls outside the viewport.
- The element `<td></td>` falls outside the viewport.
- The element `<div id="page_contents">20 FEMALE VERS...12345Next Last</div>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<li class="top">skillprogramming.com</li>` falls outside the viewport.

## Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.


- The tap target `<a href="http://www.ski...ogramming.com/" class="home">Home</a>` is close to 1 other tap targets final.



1 Passed Rules

## Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).



23 / 100 Speed

! Should Fix:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- [http://s10.histats.com/js15\\_as.js](http://s10.histats.com/js15_as.js) (expiration not specified)
- <http://skillprogramming.com/images/categories/geek.jpg> (expiration not specified)
- [http://skillprogramming.com/images/categories/how\\_to.jpg](http://skillprogramming.com/images/categories/how_to.jpg) (expiration not specified)
- <http://skillprogramming.com/images/categories/html+css.png> (expiration not specified)
- <http://skillprogramming.com/images/categories/programming.png> (expiration not specified)
- <http://skillprogramming.com/images/categories/seo.jpg> (expiration not specified)
- <http://skillprogramming.com/images/categories/smartphone.jpg> (expiration not specified)
- [http://skillprogramming.com/images/categories/tech\\_news.png](http://skillprogramming.com/images/categories/tech_news.png) (expiration not specified)
- [http://skillprogramming.com/images/categories/video\\_tutorials.jpg](http://skillprogramming.com/images/categories/video_tutorials.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/20\\_female\\_versions\\_of\\_superheroes\\_and\\_villains\\_that\\_seem\\_better\\_than\\_the\\_original.png](http://skillprogramming.com/images/pictuers/20_female_versions_of_superheroes_and_villains_that_seem_better_than_the_original.png) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/c\\_or\\_html.jpg](http://skillprogramming.com/images/pictuers/c_or_html.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/food\\_normal\\_people\\_vs\\_a\\_programmer.png](http://skillprogramming.com/images/pictuers/food_normal_people_vs_a_programmer.png) (expiration not specified)

## Desktop

- [http://skillprogramming.com/images/pictuers/how\\_many\\_square.jpg](http://skillprogramming.com/images/pictuers/how_many_square.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/html\\_css\\_javascript.jpg](http://skillprogramming.com/images/pictuers/html_css_javascript.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/like\\_a\\_boss\\_super\\_lol.gif](http://skillprogramming.com/images/pictuers/like_a_boss_super_lol.gif) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/programmer\\_life\\_goals.png](http://skillprogramming.com/images/pictuers/programmer_life_goals.png) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/start\\_development.jpg](http://skillprogramming.com/images/pictuers/start_development.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/tattoo\\_design\\_ideas\\_for\\_a\\_techie.jpg](http://skillprogramming.com/images/pictuers/tattoo_design_ideas_for_a_techie.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/we\\_were\\_lied\\_to\\_the\\_whole\\_life.gif](http://skillprogramming.com/images/pictuers/we_were_lied_to_the_whole_life.gif) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/what\\_men\\_think\\_about\\_in\\_one\\_picture.jpg](http://skillprogramming.com/images/pictuers/what_men_think_about_in_one_picture.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_programmers\\_have\\_no\\_time.jpg](http://skillprogramming.com/images/pictuers/when_programmers_have_no_time.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_there\\_are\\_two\\_hackers.jpg](http://skillprogramming.com/images/pictuers/when_there_are_two_hackers.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_you\\_ask\\_the\\_client\\_to\\_send\\_you\\_a\\_screenshot\\_of\\_the\\_problem\\_he\\_is\\_experiencing.jpg](http://skillprogramming.com/images/pictuers/when_you_ask_the_client_to_send_you_a_screenshot_of_the_problem_he_is_experiencing.jpg) (expiration not specified)
- [http://skillprogramming.com/images/pictuers/when\\_you\\_finally\\_meet\\_your\\_internet\\_friend.jpg](http://skillprogramming.com/images/pictuers/when_you_finally_meet_your_internet_friend.jpg) (expiration not specified)
- <http://skillprogramming.com/images/skin1/bg.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/bottomBG.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/contentBGcenter.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/contentBGfooter.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/contentBGtop.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/logo.png> (expiration not specified)
- <http://skillprogramming.com/images/skin1/topnavBG.png> (expiration not specified)
- <http://skillprogramming.com/js/jquery-1.4.1.min.js> (expiration not specified)
- <http://skillprogramming.com/js/jquery-1.4.2.min.js> (expiration not specified)
- <http://skillprogramming.com/js/jqueryslidemenu.js> (expiration not specified)

## Desktop

- <http://skillprogramming.com/js/pagination.js> (expiration not specified)
- <http://skillprogramming.com/js/zoominfo.js> (expiration not specified)
- <http://skillprogramming.com/styles/960.css> (expiration not specified)
- <http://skillprogramming.com/styles/jqueryslidemenu.css> (expiration not specified)
- <http://skillprogramming.com/styles/reset.css> (expiration not specified)
- <http://skillprogramming.com/styles/screen.css> (expiration not specified)
- <http://skillprogramming.com/styles/skins/skin1.css> (expiration not specified)
- <http://skillprogramming.com/wmain-css.css> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-86645064-1> (15 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 2.7MiB (82% reduction).

- Compressing and resizing [http://skillprogramming.com/images/pictuers/20\\_female\\_versions\\_of\\_superheroes\\_and\\_villains\\_that\\_seem\\_better\\_than\\_the\\_original.png](http://skillprogramming.com/images/pictuers/20_female_versions_of_superheroes_and_villains_that_seem_better_than_the_original.png) could save 1.1MiB (87% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/food\\_normal\\_people\\_vs\\_a\\_programmer.png](http://skillprogramming.com/images/pictuers/food_normal_people_vs_a_programmer.png) could save 329.5KiB (90% reduction).
- Compressing and resizing <http://skillprogramming.com/images/categories/html+css.png> could save 259.5KiB (78% reduction).
- Compressing and resizing [http://skillprogramming.com/images/categories/tech\\_news.png](http://skillprogramming.com/images/categories/tech_news.png) could save 171.4KiB (69% reduction).
- Compressing and resizing [http://skillprogramming.com/images/categories/video\\_tutorials.jpg](http://skillprogramming.com/images/categories/video_tutorials.jpg) could save 121.6KiB (88% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/html\\_css\\_javascript.jpg](http://skillprogramming.com/images/pictuers/html_css_javascript.jpg) could save 117.1KiB (90% reduction).

## Desktop

- Compressing and resizing [http://skillprogramming.com/images/pictuers/c\\_or\\_html.jpg](http://skillprogramming.com/images/pictuers/c_or_html.jpg) could save 111KiB (88% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/programmer\\_life\\_goals.png](http://skillprogramming.com/images/pictuers/programmer_life_goals.png) could save 108.6KiB (68% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/what\\_men\\_think\\_about\\_in\\_one\\_picture.jpg](http://skillprogramming.com/images/pictuers/what_men_think_about_in_one_picture.jpg) could save 95.3KiB (86% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/start\\_development.jpg](http://skillprogramming.com/images/pictuers/start_development.jpg) could save 75.1KiB (85% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/when\\_programmers\\_have\\_no\\_time.jpg](http://skillprogramming.com/images/pictuers/when_programmers_have_no_time.jpg) could save 50.8KiB (79% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/tattoo\\_design\\_ideas\\_for\\_a\\_techie.jpg](http://skillprogramming.com/images/pictuers/tattoo_design_ideas_for_a_techie.jpg) could save 48.7KiB (81% reduction).
- Compressing and resizing <http://skillprogramming.com/images/categories/seo.jpg> could save 36.1KiB (77% reduction).
- Compressing and resizing <http://skillprogramming.com/images/categories/programming.png> could save 33.5KiB (67% reduction).
- Compressing and resizing <http://skillprogramming.com/images/categories/smartphone.jpg> could save 29.3KiB (81% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/when\\_you\\_finally\\_meet\\_your\\_internet\\_friend.jpg](http://skillprogramming.com/images/pictuers/when_you_finally_meet_your_internet_friend.jpg) could save 28.6KiB (73% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/how\\_many\\_square.jpg](http://skillprogramming.com/images/pictuers/how_many_square.jpg) could save 25.5KiB (71% reduction).
- Compressing and resizing [http://skillprogramming.com/images/categories/how\\_to.jpg](http://skillprogramming.com/images/categories/how_to.jpg) could save 21.6KiB (76% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/when\\_there\\_are\\_two\\_hackers.jpg](http://skillprogramming.com/images/pictuers/when_there_are_two_hackers.jpg) could save 20.2KiB (59% reduction).
- Compressing and resizing [http://skillprogramming.com/images/pictuers/when\\_you\\_ask\\_the\\_client\\_to\\_send\\_you\\_a\\_screenshot\\_of\\_the\\_problem\\_he\\_is\\_experiencing.jpg](http://skillprogramming.com/images/pictuers/when_you_ask_the_client_to_send_you_a_screenshot_of_the_problem_he_is_experiencing.jpg) could save 18.7KiB (72% reduction).
- Compressing <http://skillprogramming.com/images/categories/geek.jpg> could save 7KiB (36% reduction).
- Compressing <http://skillprogramming.com/images/skin1/topnavBG.png> could save 6.6KiB

## Desktop

(50% reduction).

- Compressing <http://skillprogramming.com/images/skin1/bottomBG.png> could save 1KiB (50% reduction).
- Compressing <http://skillprogramming.com/images/skin1/logo.png> could save 1,015B (27% reduction).
- Compressing <http://skillprogramming.com/images/skin1/contentBGfooter.png> could save 897B (51% reduction).
- Compressing <http://skillprogramming.com/images/skin1/contentBGtop.png> could save 585B (45% reduction).
- Compressing <http://skillprogramming.com/images/skin1/contentBGcenter.png> could save 244B (53% reduction).



### Consider Fixing:

## Reduce server response time

In our test, your server responded in 0.26 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2KiB (21% reduction).

- Minifying <http://skillprogramming.com/styles/skins/skin1.css> could save 575B (17% reduction) after compression.
- Minifying <http://skillprogramming.com/styles/screen.css> could save 557B (17% reduction) after compression.

## Desktop

- Minifying <http://skillprogramming.com/wmain-css.css> could save 541B (24% reduction) after compression.
- Minifying <http://skillprogramming.com/styles/jqueryslidemenu.css> could save 350B (44% reduction) after compression.

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 506B (15% reduction).

- Minifying <http://skillprogramming.com/> could save 506B (15% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 351B (34% reduction).

- Minifying <http://skillprogramming.com/js/jqueryslidemenu.js> could save 351B (34% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following

## Desktop

resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://skillprogramming.com/js/jquery-1.4.2.min.js>
- <http://skillprogramming.com/js/zoominfo.js>
- <http://skillprogramming.com/js/jquery-1.4.1.min.js>
- <http://skillprogramming.com/js/jquerslidemenu.js>
- <http://skillprogramming.com/js/pagination.js>

### [Optimize CSS Delivery](#) of the following:

- <http://skillprogramming.com/wmain-css.css>
- <http://skillprogramming.com/styles/reset.css>
- <http://skillprogramming.com/styles/960.css>
- <http://skillprogramming.com/styles/screen.css>
- <http://skillprogramming.com/styles/jquerslidemenu.css>
- <http://skillprogramming.com/styles/skins/skin1.css>
- <http://skillprogramming.com/css/style.css>



## 3 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).



# Desktop

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).