PageSpeed Insights

Mobile



This website uses cookies to ensure you get the best experience on our website. Learn more

Got It1

59 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 106.4KiB (78% reduction).

- Compressing https://srilanka-ferien.net/site/templates/css/main.css?v=4.0 could save 40.6KiB (81% reduction).
- Compressing https://srilanka-ferien.net/ could save 27.4KiB (78% reduction).
- Compressing https://srilanka-ferien.net/site/assets/weather-icons/css/weather-icons.min.css could save 22.2KiB (85% reduction).
- Compressing https://srilanka-ferien.net/site/assets/vrview/build/vrview.min.js could save 10.5KiB (63% reduction).
- Compressing https://srilanka-ferien.net/site/templates/js/jquery.mobile.custom.min.js could

save 5.8KiB (64% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

https://maps.google.com/maps/api/js?key=AlzaSyBM9ElBcXWxUOoRv1osBFzgH4cyBKk0Aal

Optimize CSS Delivery of the following:

- https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bootstrap.min.css
- https://cdn.jsdelivr.net/combine/npm/pickadate@3.6.3/lib/compressed/themes/classic.css,npm/pickadate@3.6.3/lib/compressed/themes/classic.date.css,npm/animate.css@3.5.2/animate.min.css,npm/hover.css@2.1.1/css/hover-min.min.css,npm/cookieconsent@3.1.0/build/cookieconsent.min.css,npm/owl.carousel@2.3.4/dist/assets/owl.carousel.min.css,npm/owl.carousel@2.3.4/dist/assets/owl.theme.default.min.css
- https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css
- https://fonts.googleapis.com/css?family=Roboto:100,300&subset=latin,greek-ext,greek
- https://fonts.googleapis.com/css?family=Noto+Sans:700&subset=cyrillic,cyrillic-ext,devanagari,greek,greek-ext,latin-ext,vietnamese
- https://srilanka-ferien.net/site/assets/weather-icons/css/weather-icons.min.css
- https://srilanka-ferien.net/site/templates/css/main.css?v=4.0

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://srilanka-ferien.net/site/assets/files/1/baby_elefant.1900x950.jpg (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1/dsc07574.585x0-is.jpg (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1/sri-lanka-card2 min.jpg (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1137/big_logo.400x120.png (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1137/seavuel-avatar-horizontal.130x32.png (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1137/vichy 2x.png (expiration not specified)
- https://srilanka-ferien.net/site/assets/vrview/build/vrview.min.js (expiration not specified)
- https://srilanka-ferien.net/site/assets/weather-icons/css/weather-icons.min.css (expiration not specified)
- https://srilanka-ferien.net/site/templates/images/progress.gif (expiration not specified)
- https://srilanka-ferien.net/site/templates/js/jquery.mobile.custom.min.js (expiration not specified)
- https://www.google.com/recaptcha/api.js?onload=onloadReCaptchaCallback&render=explicit (5 minutes)
- https://maps.google.com/maps/api/js?key=AlzaSyBM9ElBcXWxUOoRv1osBFzgH4cyBKk0Aal (30 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

Reduce server response time

In our test, your server responded in 0.77 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 8.3KiB (17% reduction).

 Minifying https://srilanka-ferien.net/site/templates/css/main.css?v=4.0 could save 8.3KiB (17% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 8.8KiB (26% reduction).

Minifying https://srilanka-ferien.net/ could save 8.8KiB (26% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 18.4KiB (40% reduction).

• Minifying https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstrap.bundle.js could save 18.4KiB (40% reduction) after compression.

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 9.2KiB (17% reduction).

- Compressing https://srilanka-ferien.net/site/assets/files/1/dsc07574.585x0-is.jpg could save 7.8KiB (17% reduction).
- Compressing https://srilanka-ferien.net/site/assets/files/1137/big logo.400x120.png could save 1.3KiB (16% reduction).
- Compressing https://srilanka-ferien.net/site/assets/files/1137/seavuel-avatarhorizontal.130x32.png could save 169B (12% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.

83 / 100 User Experience



Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. Size the page <u>content to the viewport</u> to provide a better user experience.

Mobile

The page content is 600 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element falls outside the viewport.
- The element falls outside the viewport.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of avoiding plugins.

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about configuring viewports.

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about sizing tap targets appropriately.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

Desktop



72 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 106.4KiB (78% reduction).

- Compressing https://srilanka-ferien.net/site/templates/css/main.css?v=4.0 could save 40.6KiB (81% reduction).
- Compressing https://srilanka-ferien.net/ could save 27.4KiB (78% reduction).
- Compressing https://srilanka-ferien.net/site/assets/weather-icons/css/weather-icons.min.css could save 22.2KiB (85% reduction).
- Compressing https://srilanka-ferien.net/site/assets/vrview/build/vrview.min.js could save 10.5KiB (63% reduction).
- Compressing https://srilanka-ferien.net/site/templates/js/jquery.mobile.custom.min.js could save 5.8KiB (64% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

https://maps.google.com/maps/api/js?key=AlzaSyBM9ElBcXWxUOoRv1osBFzgH4cyBKk0Aal

Optimize CSS Delivery of the following:

- https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bootstrap.min.css
- https://cdn.jsdelivr.net/combine/npm/pickadate@3.6.3/lib/compressed/themes/classic.css,npm/pickadate@3.6.3/lib/compressed/themes/classic.date.css,npm/animate.css@3.5.2/animate.min.css,npm/hover.css@2.1.1/css/hover-min.min.css,npm/cookieconsent@3.1.0/build/cookieconsent.min.css,npm/owl.carousel@2.3.4/dist/assets/owl.carousel.min.css,npm/owl.carousel@2.3.4/dist/assets/owl.theme.default.min.css
- https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css
- https://fonts.googleapis.com/css?family=Roboto:100,300&subset=latin,greek-ext,greek
- https://fonts.googleapis.com/css?family=Noto+Sans:700&subset=cyrillic,cyrillic-ext,devanagari,greek,greek-ext,latin-ext,vietnamese
- https://srilanka-ferien.net/site/assets/weather-icons/css/weather-icons.min.css
- https://srilanka-ferien.net/site/templates/css/main.css?v=4.0

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://srilanka-ferien.net/site/assets/files/1/baby_elefant.1900x950.jpg (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1/dsc07574.585x0-is.jpg (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1/sri-lanka-card2 min.jpg (expiration not specified)

- https://srilanka-ferien.net/site/assets/files/1137/big_logo.400x120.png (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1137/seavuel-avatar-horizontal.130x32.png (expiration not specified)
- https://srilanka-ferien.net/site/assets/files/1137/vichy 2x.png (expiration not specified)
- https://srilanka-ferien.net/site/assets/vrview/build/vrview.min.js (expiration not specified)
- https://srilanka-ferien.net/site/assets/weather-icons/css/weather-icons.min.css (expiration not specified)
- https://srilanka-ferien.net/site/templates/images/progress.gif (expiration not specified)
- https://srilanka-ferien.net/site/templates/js/jquery.mobile.custom.min.js (expiration not specified)
- https://www.google.com/recaptcha/api.js?onload=onloadReCaptchaCallback&render=explicit (5 minutes)
- https://maps.google.com/maps/api/js?key=AlzaSyBM9ElBcXWxUOoRv1osBFzgH4cyBKk0Aal (30 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

Reduce server response time

In our test, your server responded in 0.77 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 8.3KiB (17% reduction).

 Minifying https://srilanka-ferien.net/site/templates/css/main.css?v=4.0 could save 8.3KiB (17% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 8.8KiB (26% reduction).

Minifying https://srilanka-ferien.net/ could save 8.8KiB (26% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify lavaScript for the following resources to reduce their size by 18.4KiB (40% reduction).

 Minifying https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstrap.bundle.js could save 18.4KiB (40% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 9.2KiB (17% reduction).

• Compressing https://srilanka-ferien.net/site/assets/files/1/dsc07574.585x0-is.jpg could save 7.8KiB (17% reduction).

- Compressing https://srilanka-ferien.net/site/assets/files/1137/big logo.400x120.png could save 1.3KiB (16% reduction).
- Compressing https://srilanka-ferien.net/site/assets/files/1137/seavuel-avatarhorizontal.130x32.png could save 169B (12% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.