PageSpeed Insights

Mobile







0 / 100 Speed

Should Fix:

Reduce server response time

In our test, your server responded in 0.95 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Mobile

Optimize the following images to reduce their size by 13.6MiB (99% reduction).

- Compressing and resizing https://static.wixstatic.com/media/f5272d46735441f9be2480267f65186c.jpg could save 8.1MiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/50e880b8b55047279e5b34a6188e6018.jpg could save 1.7MiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/3c6ada28ceb647b9942b2a23290d3184.jpg could save 1.1MiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/156e14f205c14a3893a38c04bdebf642.jpg could save 978.2KiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/4cb2411121d14cab94fb4cfb11f4f056.jpg could save 924.8KiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/dadfb09091a94356850ecc528e626098.jpg could save 823.9KiB (98% reduction).
- Compressing https://static.wixstatic.com/media/45fc12_2ffa7fef626b41d9b26b4e2a40dec0e e~mv2.png/v1/fill/w_132,h_126,al_c,usm_0.66_1.00_0.01/45fc12_2ffa7fef626b41d9b26b4e2 a40dec0ee~mv2.png could save 3.1KiB (32% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. Prioritize visible content that is needed for rendering above-the-fold by including it directly in the HTML response.

 None of the final above-the-fold content could be rendered even with the full HTML response.

Mobile

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- https://js.sentry-cdn.com/963338e7b175400c9cb6e3323777589d.min.js (30 seconds)
- https://static.parastorage.com/unpkg-semver/fedops-logger@5/fedops-logger.bundle.min.js
 (30 minutes)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 388B (13% reduction).

• Minifying https://static.parastorage.com/services/third-party/fonts/Helvetica/fontFace.css could save 388B (13% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 276B (11% reduction).

 Minifying https://gs.wixapps.net/statics/index?cacheKiller=1554532180442&compld=comp-j 0c6pd2t&deviceType=mobile&height=60&instance=AS-TAOSoa9AH2hmCqjW5e9I91VmnL8 Pi5gPauwwWKMM.eyJpbnN0YW5jZUlkljoiOGI2ZmYzNzltOGJhOC00ZjhmLTkyYjMtYWI2ODI5MT UyZGMyliwiYXBwRGVmSWQiOilxMzc1YmFhOC04ZWNhLTU2NTktY2U5ZC00NTViMjAwOTI1MG QiLCJtZXRhU2l0ZUlkljoiZGY4YjY4YjQtMWY3My00NDgwLTk0MmltNTdlNTY3ZDE5ZTliliwic2lnbk RhdGUiOilyMDE5LTA0LTA2VDA5OjM1OjEzLjUxOVoiLCJ1aWQiOm51bGwslmlwQW5kUG9ydCl6 ljE2Mi4xNDQuMTgxLjl0LzUxODg4liwidmVuZG9yUHJvZHVjdElkljpudWxsLCJkZW1vTW9kZSI6Z mFsc2UsImFpZCl6ljM4MDdiNzNhLTlzZmltNGJmMi04NDk2LTdkYzZiMDA0YzQxNilsImJpVG9rZ W4iOil1NGU0OWJjNi05NGRiLTBiMGYtMDY5OC1mYzhkNGVjNGlzNTkiLCJzaXRlT3duZXJJZCl6ljN iZjgwZGRjLTYzYTctNGQ4Yi05NmZhLWY0M2UyOWRkMGRmOCJ9&locale=en&pageId=jivx6&s iteRevision=299&viewMode=site&width=280 could save 276B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 1.4KiB (29% reduction).

- Minifying https://static.parastorage.com/unpkg/wix-uisanta@1.0.762/dist/statics/dataRefs.bundle.js could save 645B (40% reduction) after compression.
- Minifying https://static.parastorage.com/unpkg/react-dom-factories@1.0.2/index.js could save 548B (33% reduction) after compression.
- Minifying https://static.parastorage.com/unpkg/gsap@2.0.2/src/minified/plugins/ScrollToPlugin.min.js could save 232B (15% reduction) after compression.



Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about <u>removing render-blocking resources</u>.

96 / 100 User Experience

Consider Fixing:

Configure the viewport

Your page specifies a fixed-width mobile viewport. Consider using a responsive viewport to allow your page to render properly on all devices.

<u>Configuring a viewport</u> specifying width=device-width instead of width=320 will allow your page to adapt for devices of various widths. This may require additional work if the styling on your page relies on a fixed-width layout.



Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn

more about sizing tap targets appropriately.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

Desktop



0 / 100 Speed



Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 13.6MiB (99% reduction).

- Compressing and resizing https://static.wixstatic.com/media/f5272d46735441f9be2480267f65186c.jpg could save 8.1MiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/50e880b8b55047279e5b34a6188e6018.jpg could save 1.7MiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/3c6ada28ceb647b9942b2a23290d3184.jpg could save

Desktop

- 1.1MiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/156e14f205c14a3893a38c04bdebf642.jpg could save 978.2KiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/4cb2411121d14cab94fb4cfb11f4f056.jpg could save 924.8KiB (99% reduction).
- Compressing and resizing https://static.wixstatic.com/media/dadfb09091a94356850ecc528e626098.jpg could save 823.9KiB (98% reduction).
- Compressing https://static.wixstatic.com/media/45fc12_2ffa7fef626b41d9b26b4e2a40dec0e e~mv2.png/v1/fill/w_189,h_180,al_c,usm_0.66_1.00_0.01/45fc12_2ffa7fef626b41d9b26b4e2 a40dec0ee~mv2.png could save 2.9KiB (22% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://js.sentry-cdn.com/963338e7b175400c9cb6e3323777589d.min.js (30 seconds)
- https://static.parastorage.com/unpkg-semver/fedops-logger@5/fedops-logger.bundle.min.js (30 minutes)

Reduce server response time

In our test, your server responded in 0.95 seconds.

There are many factors that can slow down your server response time. Please read our recommendations to learn how you can monitor and measure where your server is spending the

Desktop

most time.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 276B (11% reduction).

Minifying https://gs.wixapps.net/statics/index?cacheKiller=1554535715599&compld=comp-j0c6pd2t&deviceType=desktop&height=176&instance=WpMNFp7NVDwhEkS15rugjz-45vQknES_UcQiqOukPNw.eyJpbnN0YW5jZUlkljoiOGI2ZmYzNzltOGJhOC00ZjhmLTkyYjMtYWI2ODI5MTUyZGMyIiwiYXBwRGVmSWQiOiIxMzc1YmFhOC04ZWNhLTU2NTktY2U5ZC00NTViMjAwOTI1MGQiLCJtZXRhU2I0ZUlkljoiZGY4YjY4YjQtMWY3My00NDgwLTk0MmltNTdINTY3ZDE5ZTliliwic2InbkRhdGUiOiIyMDE5LTA0LTA2VDA5OjM1OjI0LjI1OVoiLCJ1aWQiOm51bGwsImlwQW5kUG9ydCl6ljE2Mi4xNDQuMTgxLjI0LzMyMDU4IiwidmVuZG9yUHJvZHVjdElkljpudWxsLCJkZW1vTW9kZSI6ZmFsc2UsImFpZCl6ljU0ZDI0Y2VkLTc3MjAtNGJiZS05ZTI1LWRhY2RIMGE4YzA1ZClsImJpVG9rZW4iOiI1NGU0OWJjNi05NGRiLTBiMGYtMDY5OC1mYzhkNGVjNGIzNTkiLCJzaXRIT3duZXJJZCl6ljNiZjgwZGRjLTYzYTctNGQ4Yi05NmZhLWY0M2UyOWRkMGRmOCJ9&locale=en&pageId=jivx6&siteRevision=299&viewMode=site&width=940 could save 276B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 1.4KiB (29% reduction).

- Minifying https://static.parastorage.com/unpkg/wix-uisanta@1.0.762/dist/statics/dataRefs.bundle.js could save 645B (40% reduction) after compression.
- Minifying https://static.parastorage.com/unpkg/react-dom-factories@1.0.2/index.js could save 548B (33% reduction) after compression.
- Minifying https://static.parastorage.com/unpkg/gsap@2.0.2/src/minified/plugins/ScrollToPlugin.min.js could save 232B (15% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-thefold content. Prioritize visible content that is needed for rendering above-the-fold by including it directly in the HTML response.

 None of the final above-the-fold content could be rendered even with the full HTML response.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about removing render-blocking resources.

Desktop