### PageSpeed Insights

#### Mobile



# 81 / 100 Speed

# Should Fix:

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### Remove render-blocking JavaScript:

http://tutorialtips.online/javascript.js

#### Optimize CSS Delivery of the following:

• http://tutorialtips.online/style.css

# Consider Fixing:

#### **Enable compression**

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 15.7KiB (80% reduction).

- Compressing http://tutorialtips.online/ could save 9.2KiB (79% reduction).
- Compressing http://tutorialtips.online/style.css could save 6.2KiB (81% reduction).
- Compressing http://tutorialtips.online/javascript.js could save 254B (58% reduction).

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://tutorialtips.online/javascript.js (expiration not specified)
- http://tutorialtips.online/style.css (expiration not specified)
- https://www.googletagmanager.com/gtag/js?id=UA-118653070-1 (15 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 1.9KiB (25% reduction).

Minifying http://tutorialtips.online/style.css could save 1.9KiB (25% reduction).

#### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 1.9KiB (17% reduction).

Minifying http://tutorialtips.online/ could save 1.9KiB (17% reduction).

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 136B (32% reduction).

• Minifying http://tutorialtips.online/javascript.js could save 136B (32% reduction).

### Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 960B (60% reduction).

Compressing http://ylx-i.advertica-cdn2.com/logo\_n\_small.png?1480628810 could save 960B

(60% reduction).



3 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

#### Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.

# 99 / 100 User Experience

Consider Fixing:

### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

 The tap target <a href="c/index.html">C Tutorial</a> and 7 others are close to other tap targets.



# 4 Passed Rules

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of avoiding plugins.

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about configuring viewports.

### Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

## Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

#### Desktop



# 90 / 100 Speed

# Consider Fixing:

#### **Enable compression**

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 15.7KiB (80% reduction).

- Compressing http://tutorialtips.online/ could save 9.2KiB (79% reduction).
- Compressing http://tutorialtips.online/style.css could save 6.2KiB (81% reduction).
- Compressing http://tutorialtips.online/javascript.js could save 254B (58% reduction).

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- http://tutorialtips.online/javascript.js (expiration not specified)
- http://tutorialtips.online/style.css (expiration not specified)
- https://www.googletagmanager.com/gtag/js?id=UA-118653070-1 (15 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

#### Desktop

Minify CSS for the following resources to reduce their size by 1.9KiB (25% reduction).

Minifying http://tutorialtips.online/style.css could save 1.9KiB (25% reduction).

#### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 1.9KiB (17% reduction).

Minifying http://tutorialtips.online/ could save 1.9KiB (17% reduction).

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 136B (32% reduction).

• Minifying http://tutorialtips.online/javascript.js could save 136B (32% reduction).

#### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical

#### Desktop

portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

http://tutorialtips.online/javascript.js

Optimize CSS Delivery of the following:

http://tutorialtips.online/style.css

### Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 15.6KiB (55% reduction).

- Compressing http://cdn.namel.net/c/generic/3577 FreePremiumDownload-300x250.png could save 14.6KiB (54% reduction).
- Compressing http://ylx-i.advertica-cdn2.com/logo n small.png?1480628810 could save 960B (60% reduction).



# 3 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

### Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

#### Prioritize visible content

## Desktop

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.