### PageSpeed Insights

#### Mobile



54 / 100 Speed

Should Fix:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://cdn.quicksprout.com/qs.js (expiration not specified)
- https://cdn.quicksprout.com/scripts/d73274e251221547ae873baf577c7f52ae48b6bded1a7d fb91ce2160e4b96266/e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b78 52b855.js (expiration not specified)
- https://prod.cbstatic.net/dist/assets/logo-header-two-tone-en.png (expiration not specified)
- https://prod.cbstatic.net/dist/assets/logo-tab-two-tone-en.png (expiration not specified)
- https://prod.cbstatic.net/dist/assets/opensans-bold.ttf (expiration not specified)

#### Mobile

- https://prod.cbstatic.net/dist/assets/opensans-normal.ttf (expiration not specified)
- https://prod.cbstatic.net/dist/i18n/app-strings-en.json (expiration not specified)
- https://prod.cbstatic.net/dist/injectable.js (expiration not specified)
- https://sumo.com/api/load/ (expiration not specified)
- https://load.sumome.com/ (10 minutes)
- https://www.googletagmanager.com/gtag/js?id=UA-144136118-2 (15 minutes)
- https://connect.facebook.net/en US/sdk.js? =1563785010133 (20 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)
- https://seal-boise.bbb.org/seals/blue-seal-153-100-clickbank-5004291.png (4 hours)

#### Reduce server response time

In our test, your server responded in 1 second.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

# Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 23 blocking script resources and 12 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### Remove render-blocking JavaScript:

- https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery-migrate.min.js

- https://c0.wp.com/c/5.2.2/wp-includes/js/mediaelement/mediaelement-and-player.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/mediaelement/mediaelement-migrate.min.js
- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/js/dist/client\_plugins.min.js?ver=1.4.10
- https://ajax.googleapis.com/ajax/libs/jqueryui/1.10.4/jquery-ui.min.js
- https://cdn.jsdelivr.net/lodash/4.6.1/lodash.min.js
- https://cbtb.clickbank.net/?vendor=alboriss75
- https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/photon/photon.min.js
- https://s0.wp.com/wp-content/js/devicepx-jetpack.js?ver=201930
- https://c0.wp.com/c/5.2.2/wp-includes/js/mediaelement/wp-mediaelement.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/imagesloaded.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/masonry.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery.masonry.min.js
- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/js/dist/client frontend.min.js?ver=1.4.10
- https://wpresss.com/wp-content/plugins/wp-promo-page/assets/js/public.min.js?ver=1
- https://secure.gravatar.com/js/gprofiles.js?ver=2019Julaa
- https://c0.wp.com/p/jetpack/7.5.3/modules/wpgroho.js
- https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/minileven/theme/pub/minileven/js/small-menu.min.js
- https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/widgets/eu-cookie-law/eu-cookie-law.min.js
- https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/facebook-embed.min.js
- https://c0.wp.com/p/jetpack/7.5.3/ inc/build/lazy-images/js/lazy-images.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/wp-embed.min.js

#### Optimize CSS Delivery of the following:

- https://c0.wp.com/c/5.2.2/wp-includes/css/dist/block-library/style.min.css
- https://wpresss.com/wp-content/plugins/live-composer-page-builder/css/font-awesome.css?ver=1.4.10
- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/css/dist/frontend.plugins.min.css?ver=1.4.10

- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/css/dist/frontend.min.css?ver=1.4.10
- https://wpresss.com/wp-content/uploads/siteorigin-widgets/sow-imagedefault-4b231843ec72.css?ver=5.2.2
- https://c0.wp.com/p/jetpack/7.5.3/modules/minileven/theme/pub/minileven/style.css
- https://c0.wp.com/p/jetpack/7.5.3/modules/widgets/facebook-likebox/style.css
- https://c0.wp.com/p/jetpack/7.5.3/css/jetpack.css
- https://wpresss.com/wp-content/plugins/wp-promo-page/assets/css/public.min.css
- https://fonts.googleapis.com/css?family=Raleway:100,200,300,400,500,600,700,800,900|Libre+Baskerville:100,200,300,400,500,600,700,800,900|Lato:100,200,300,400,500,600,700,800,900&subset=latin,latin-ext,cyrillic,cyrillic-ext
- https://secure.gravatar.com/dist/css/hovercard.min.css?ver=2019Julaa
- https://secure.gravatar.com/dist/css/services.min.css?ver=2019Julaa

# Consider Fixing:

### **Enable compression**

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 702B (52% reduction).

- Compressing https://cbtb.clickbank.net/?vendor=alboriss75 could save 485B (51% reduction).
- Compressing https://wpresss.com/wp-content/uploads/siteorigin-widgets/sow-imagedefault-4b231843ec72.css?ver=5.2.2 could save 217B (55% reduction).

# Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 1.5KiB (21% reduction).

 Minifying https://c0.wp.com/p/jetpack/7.5.3/modules/minileven/theme/pub/minileven/style.css could save 1.5KiB (21% reduction) after compression.

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 1.4KiB (11% reduction).

• Minifying https://wpresss.com/ could save 1.4KiB (11% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 1.1KiB (20% reduction).

- Minifying https://connect.facebook.net/en\_US/sdk.js?\_=1563785010133 could save 672B (39% reduction) after compression.
- Minifying https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/lazy-images/js/lazy-images.min.js could save 318B (11% reduction) after compression.
- Minifying https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery.masonry.min.js could save 119B (17% reduction) after compression.

#### Mobile

### Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 1.2KiB (14% reduction).

- Compressing https://seal-boise.bbb.org/seals/blue-seal-153-100-clickbank-5004291.png could save 488B (12% reduction).
- Compressing https://prod.cbstatic.net/dist/assets/logo-header-two-tone-en.png could save 437B (13% reduction).
- Compressing https://static.xx.fbcdn.net/rsrc.php/v3/yG/r/wrCiWd JmQD.png could save 296B (30% reduction).

#### Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-thefold content. Prioritize visible content that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 69% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:34



# 1 Passed Rules

# Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

# 99 / 100 User Experience

Consider Fixing:

### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target <input type="submit" class="accept"> is close to 1 other tap targets final.
- The tap target <a href="https://automa...c.com/cookies/">Cookie Policy</a> is close to 1 other tap targets final.



# Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

# Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about <u>configuring viewports</u>.

# Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

# Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

#### Desktop



73 / 100 Speed

Should Fix:

# Reduce server response time

In our test, your server responded in 0.98 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

# Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 26 blocking script resources and 15 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### Remove render-blocking JavaScript:

- https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery-migrate.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/mediaelement/mediaelement-and-player.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/mediaelement/mediaelement-migrate.min.js
- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/js/dist/client\_plugins.min.js?ver=1.4.10
- https://ajax.googleapis.com/ajax/libs/jqueryui/1.10.4/jquery-ui.min.js
- https://cdn.jsdelivr.net/lodash/4.6.1/lodash.min.js
- https://cbtb.clickbank.net/?vendor=alboriss75
- https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/photon/photon.min.js
- https://s0.wp.com/wp-content/js/devicepx-jetpack.js?ver=201930
- https://c0.wp.com/c/5.2.2/wp-includes/js/mediaelement/wp-mediaelement.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/imagesloaded.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/masonry.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery.masonry.min.js
- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/js/dist/client\_frontend.min.js?ver=1.4.10
- https://wpresss.com/wp-content/plugins/wp-promo-page/assets/js/public.min.js?ver=1
- https://secure.gravatar.com/js/gprofiles.js?ver=2019Julaa
- https://c0.wp.com/p/jetpack/7.5.3/modules/wpgroho.js
- https://wpresss.com/wp-content/themes/musical-vibe/js/skip-link-focusfix.min.js?ver=20130115
- https://wpresss.com/wp-content/themes/musical-vibe/third-party/cycle2/js/jquery.cycle2.min.js?ver=2.1.6
- https://wpresss.com/wp-content/themes/musical-vibe/third-party/sidr/js/jguery.sidr.min.js?ver=2.2.1
- https://wpresss.com/wp-content/themes/musical-vibe/js/custom.min.js?ver=1.0.0

#### Desktop

- https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/widgets/eu-cookie-law/eu-cookie-law.min.js
- https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/facebook-embed.min.js
- https://c0.wp.com/p/jetpack/7.5.3/ inc/build/lazy-images/js/lazy-images.min.js
- https://c0.wp.com/c/5.2.2/wp-includes/js/wp-embed.min.js

#### Optimize CSS Delivery of the following:

- https://c0.wp.com/c/5.2.2/wp-includes/css/dist/block-library/style.min.css
- https://c0.wp.com/c/5.2.2/wp-includes/css/dist/block-library/theme.min.css
- https://wpresss.com/wp-content/plugins/live-composer-page-builder/css/font-awesome.css?ver=1.4.10
- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/css/dist/frontend.plugins.min.css?ver=1.4.10
- https://wpresss.com/wp-content/plugins/live-composer-pagebuilder/css/dist/frontend.min.css?ver=1.4.10
- https://wpresss.com/wp-content/uploads/siteorigin-widgets/sow-imagedefault-4b231843ec72.css?ver=5.2.2
- https://wpresss.com/wp-content/themes/musical-vibe/third-party/font-awesome/css/font-awesome.min.css?ver=4.7.0
- https://wpresss.com/wp-content/themes/musical-vibe/third-party/sidr/css/jquery.sidr.dark.min.css?ver=2.2.1
- https://wpresss.com/wp-content/themes/musical-vibe/style.css?ver=1.0.2
- https://c0.wp.com/p/jetpack/7.5.3/modules/widgets/facebook-likebox/style.css
- https://c0.wp.com/p/jetpack/7.5.3/css/jetpack.css
- https://wpresss.com/wp-content/plugins/wp-promo-page/assets/css/public.min.css
- https://fonts.googleapis.com/css?family=Raleway:100,200,300,400,500,600,700,800,900|Libre+Baskerville:100,200,300,400,500,600,700,800,900|Lato:100,200,300,400,500,600,700,800,900&subset=latin,latin-ext,cyrillic,cyrillic-ext
- https://secure.gravatar.com/dist/css/hovercard.min.css?ver=2019|ulaa
- https://secure.gravatar.com/dist/css/services.min.css?ver=2019Julaa

# Consider Fixing:

### **Enable compression**

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 1.3KiB (50% reduction).

- Compressing https://cbtb.clickbank.net/?vendor=alboriss75 could save 485B (51% reduction).
- Compressing https://wpresss.com/wp-content/themes/musicalvibe/js/custom.min.js?ver=1.0.0 could save 410B (48% reduction).
- Compressing https://wpresss.com/wp-content/themes/musical-vibe/js/skip-link-focus-fix.min.js?ver=20130115 could save 249B (45% reduction).
- Compressing https://wpresss.com/wp-content/uploads/siteorigin-widgets/sow-imagedefault-4b231843ec72.css?ver=5.2.2 could save 217B (55% reduction).

# Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://cdn.quicksprout.com/qs.js (expiration not specified)
- https://cdn.quicksprout.com/scripts/d73274e251221547ae873baf577c7f52ae48b6bded1a7d fb91ce2160e4b96266/e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b78 52b855.js (expiration not specified)
- https://prod.cbstatic.net/dist/assets/logo-header-two-tone-en.png (expiration not specified)
- https://prod.cbstatic.net/dist/assets/logo-tab-two-tone-en.png (expiration not specified)
- https://prod.cbstatic.net/dist/i18n/app-strings-en.json (expiration not specified)
- https://prod.cbstatic.net/dist/injectable.js (expiration not specified)
- https://sumo.com/api/load/ (expiration not specified)

#### Desktop

- https://load.sumome.com/ (10 minutes)
- https://www.googletagmanager.com/gtag/js?id=UA-144136118-2 (15 minutes)
- https://connect.facebook.net/en US/sdk.js? =1563785024590 (20 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)
- https://seal-boise.bbb.org/seals/blue-seal-153-100-clickbank-5004291.png (4 hours)

# Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 4.6KiB (24% reduction).

 Minifying https://wpresss.com/wp-content/themes/musical-vibe/style.css?ver=1.0.2 could save 4.6KiB (24% reduction) after compression.

#### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 1.3KiB (11% reduction).

• Minifying https://wpresss.com/ could save 1.3KiB (11% reduction) after compression.

# Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 1.1KiB (20% reduction).

- Minifying https://connect.facebook.net/en\_US/sdk.js?\_=1563785024590 could save 673B (39% reduction) after compression.
- Minifying https://c0.wp.com/p/jetpack/7.5.3/\_inc/build/lazy-images/js/lazy-images.min.js could save 318B (11% reduction) after compression.
- Minifying https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery.masonry.min.js could save 119B (17% reduction) after compression.

#### Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 1.2KiB (14% reduction).

- Compressing https://seal-boise.bbb.org/seals/blue-seal-153-100-clickbank-5004291.png could save 488B (12% reduction).
- Compressing https://prod.cbstatic.net/dist/assets/logo-header-two-tone-en.png could save 437B (13% reduction).
- Compressing https://static.xx.fbcdn.net/rsrc.php/v3/yG/r/wrCiWd\_JmQD.png could save 296B (30% reduction).

#### Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. Prioritize visible content that is needed for rendering above-the-fold by including it directly in the HTML response.

Only about 27% of the final above-the-fold content could be rendered with the full HTML

# Desktop

response.

• Click to see the screenshot with only the HTML response: snapshot:40



☑ 1 Passed Rules

# Avoid landing page redirects

Your page has no redirects. Learn more about <u>avoiding landing page redirects</u>.