
#### PageSpeed Insights

#### Mobile



76 / 100 Speed

Should Fix:

# Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Optimize CSS Delivery of the following:

- https://wr1ter.com/wpcontent/themes/wr1ter\_optimize/style.css?ver=f0c2684fea207b46066355e77e16a338
- https://wr1ter.com/wp-content/themes/wr1ter\_optimize/css/bootstrap/bootstrap.min.css?ver =f0c2684fea207b46066355e77e16a338
- https://wr1ter.com/wp-content/themes/wr1ter\_optimize/css/frontpage.min.css?ver=f0c2684fea207b46066355e77e16a338

# Consider Fixing:

#### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://wrlter.com/wp-content/themes/wrlter\_optimize/img/bg-masthead.jpg (expiration not specified)
- https://wrlter.com/wpcontent/themes/wrlter\_optimize/img/g2apay\_partner\_badge\_on\_black\_V.png (expiration not specified)
- https://wr1ter.com/wp-content/themes/wr1ter\_optimize/img/vbm\_wht01.png (expiration not specified)
- https://www.googletagmanager.com/gtag/js?id=UA-100506574-2 (15 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

## Reduce server response time

In our test, your server responded in 0.32 seconds.

There are many factors that can slow down your server response time. Please read our recommendations to learn how you can monitor and measure where your server is spending the most time.

# Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and

execution time.

Minify JavaScript for the following resources to reduce their size by 1.5KiB (36% reduction).

- Minifying https://wr1ter.com/wpcontent/themes/wr1ter\_optimize/js/agency.js?ver=f0c2684fea207b46066355e77e16a338 could save 1.2KiB (39% reduction) after compression.
- Minifying https://wrlter.com/wp-content/themes/wrlter\_optimize/js/contact\_me.js?ver=f0c2 684fea207b46066355e77e16a338 could save 322B (27% reduction) after compression.

#### Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 1.6KiB (36% reduction).

 Compressing https://wr1ter.com/wpcontent/themes/wr1ter optimize/img/g2apay partner badge on black V.png could save 1.6KiB (36% reduction).



# 5 Passed Rules

# Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

# **Enable compression**

You have compression enabled. Learn more about enabling compression.

# Minify CSS

#### Mobile

Your CSS is minified. Learn more about minifying CSS.

#### Minify HTML

Your HTML is minified. Learn more about minifying HTML.

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.

# 89 / 100 User Experience

Should Fix:

#### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

• The tap target <a href="https://wrlter.com/blog">Blog</a> and 25 others are close to other tap targets.



# Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about <u>configuring viewports</u>.

#### Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

#### Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

#### Desktop



90 / 100 Speed

Consider Fixing:

# Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://wr1ter.com/wp-content/themes/wr1ter\_optimize/img/bg-masthead.jpg (expiration not specified)
- https://wrlter.com/wpcontent/themes/wrlter\_optimize/img/g2apay\_partner\_badge\_on\_black\_V.png (expiration not specified)
- https://wr1ter.com/wp-content/themes/wr1ter\_optimize/img/vbm\_wht01.png (expiration not specified)
- https://www.googletagmanager.com/gtag/js?id=UA-100506574-2 (15 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

#### Reduce server response time

In our test, your server responded in 0.26 seconds.

There are many factors that can slow down your server response time. <u>Please read our recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 1.5KiB (36% reduction).

- Minifying https://wrlter.com/wpcontent/themes/wrlter\_optimize/js/agency.js?ver=f0c2684fea207b46066355e77e16a338 could save 1.2KiB (39% reduction) after compression.
- Minifying https://wrlter.com/wp-content/themes/wrlter\_optimize/js/contact\_me.js?ver=f0c2 684fea207b46066355e77e16a338 could save 322B (27% reduction) after compression.

#### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Optimize CSS Delivery of the following:

- https://wrlter.com/wpcontent/themes/wr1ter optimize/style.css?ver=f0c2684fea207b46066355e77e16a338
- https://wr1ter.com/wp-content/themes/wr1ter optimize/css/bootstrap/bootstrap.min.css?ver =f0c2684fea207b46066355e77e16a338
- https://wr1ter.com/wp-content/themes/wr1ter\_optimize/css/frontpage.min.css?ver=f0c2684f ea207b46066355e77e16a338

## Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 1.6KiB (36% reduction).

· Compressing https://wr1ter.com/wpcontent/themes/wr1ter optimize/img/g2apay partner badge on black V.png could save 1.6KiB (36% reduction).



5 Passed Rules

# Avoid landing page redirects

#### Desktop

Your page has no redirects. Learn more about avoiding landing page redirects.

# **Enable compression**

You have compression enabled. Learn more about enabling compression.

# Minify CSS

Your CSS is minified. Learn more about minifying CSS.

# Minify HTML

Your HTML is minified. Learn more about minifying HTML.

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.