


PageSpeed Insights

Mobile



75 / 100 Speed

! Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://viptarot.com/js/dtc.php>

[Optimize CSS Delivery](#) of the following:

- <http://viptarot.com/css/styles.css>
- <http://viptarot.com/css/cstyles.css>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 126B (30% reduction).

- Compressing https://pd.sharethis.com/pd/test_oracle could save 126B (30% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://pd.sharethis.com/pd/test_oracle (expiration not specified)
- <https://ws.sharethis.com/button/css/buttons-secure.css> (expiration not specified)
- <http://viptarot.com/js/dtc.php> (60 seconds)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://t.sharethis.com/1/d/t.dhj?rnd=1564389220769&cid=c010&dmn=yesnooracle.viptarot.com> (60 minutes)
- <http://viptarot.com/css/cstyles.css> (2 days)
- <http://viptarot.com/css/styles.css> (2 days)
- <http://viptarot.com/js/easing.js> (2 days)

Mobile

- <http://viptarot.com/js/ini.js> (2 days)
- <http://viptarot.com/js/jquery.validate.min.js> (2 days)
- <http://viptarot.com/js/respond.min.js> (2 days)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 923B (23% reduction).

- Minifying <http://viptarot.com/css/styles.css> could save 489B (21% reduction) after compression.
- Minifying <http://viptarot.com/css/cstyles.css> could save 434B (26% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.3KiB (16% reduction).

- Minifying <http://yesnooracle.viptarot.com/> could save 766B (18% reduction) after compression.
- Minifying <https://ws.sharethis.com/secure5x/index.html> could save 524B (13% reduction) after compression.

Minify JavaScript

Mobile

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 355B (15% reduction).

- Minifying <http://viptarot.com/js/respond.min.js> could save 245B (12% reduction) after compression.
- Minifying https://pd.sharethis.com/pd/test_oracle could save 110B (26% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 8.7KiB (47% reduction).

- Compressing https://ws.sharethis.com/images/2017/pinterest_32.png could save 1,008B (70% reduction).
- Compressing https://ws.sharethis.com/images/2017/email_32.png could save 998B (72% reduction).
- Compressing https://ws.sharethis.com/images/2017/sharethis_32.png could save 988B (73% reduction).
- Compressing https://ws.sharethis.com/images/2017/stumbleupon_32.png could save 988B (73% reduction).
- Compressing https://ws.sharethis.com/images/2017/twitter_32.png could save 966B (72% reduction).
- Compressing https://ws.sharethis.com/images/2017/linkedin_32.png could save 942B (76% reduction).
- Compressing https://ws.sharethis.com/images/2017/facebook_32.png could save 930B (79% reduction).
- Compressing https://ws.sharethis.com/images/2017/googleplus_32.png could save 824B (34% reduction).
- Compressing https://scontent-atl3-1.xx.fbcdn.net/v/t1.0-0/p130x130/543866_479280082132224_384886871_n.jpg?_nc_cat=104&_nc_oc=AQl49JxUSJIA7pnCZc4ldwT9Lsa9ARAABMhOvOea8YSc5SO46O4dz05F7grM1s6Megg&_nc_ht=scontent-atl3-1.xx&oh=15a8f7a50dca5231ba00a6d38230eb06&oe=5DA38649 could save 775B (16% reduction).

Mobile

- Compressing https://static.xx.fbcdn.net/rsrc.php/v3/yG/r/wrCiWd_JmQD.png could save 296B (30% reduction).
- Compressing <http://viptarot.com/images/share/facebook.png> could save 171B (12% reduction).

3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

89 / 100 User Experience

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 437 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

Mobile

- The element `VIPTarot.com` falls outside the viewport.
- The element `<td></td>` falls outside the viewport.
- The element `<td>Follow Us</td>` falls outside the viewport.
- The element `<iframe id="aswift_1" name="aswift_1">` falls outside the viewport.
- The element `<h2>Who Am I and What I can Do</h2>` falls outside the viewport.
- The element `<li class="gallerybox">` falls outside the viewport.
- The element `<li class="gallerybox">` falls outside the viewport.
- The element `<h2>Enter Your Name & Question</h2>` falls outside the viewport.
- The element `<div>Name:</div>` falls outside the viewport.
- The element `<div>Question: ?</div>` falls outside the viewport.
- The element `<p>Get A Psychic...via Live Chat!</p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Daily Tarot` and 17 others are close to other tap targets.
- The tap target `` and 7 others are close to other tap targets final.



3 Passed Rules

Mobile

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



88 / 100 Speed

! Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Desktop](#)

[Enable compression](#) for the following resources to reduce their transfer size by 127B (30% reduction).

- Compressing https://pd.sharethis.com/pd/test_oracle could save 127B (30% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://pd.sharethis.com/pd/test_oracle (expiration not specified)
- <https://ws.sharethis.com/button/css/buttons-secure.css> (expiration not specified)
- <http://viptarot.com/js/dtc.php> (60 seconds)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://t.sharethis.com/1/d/t.dhj?rnd=1564389225841&cid=c010&dmn=yesnooracle.viptarot.com> (60 minutes)
- <http://viptarot.com/css/cstyles.css> (2 days)
- <http://viptarot.com/css/styles.css> (2 days)
- <http://viptarot.com/js/easing.js> (2 days)
- <http://viptarot.com/js/ini.js> (2 days)
- <http://viptarot.com/js/jquery.validate.min.js> (2 days)
- <http://viptarot.com/js/respond.min.js> (2 days)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Desktop

[Minify CSS](#) for the following resources to reduce their size by 923B (23% reduction).

- Minifying <http://viptarot.com/css/styles.css> could save 489B (21% reduction) after compression.
- Minifying <http://viptarot.com/css/cstyles.css> could save 434B (26% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.3KiB (16% reduction).

- Minifying <http://yesnooracle.viptarot.com/> could save 766B (18% reduction) after compression.
- Minifying <https://ws.sharethis.com/secure5x/index.html> could save 524B (13% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 355B (15% reduction).

- Minifying <http://viptarot.com/js/respond.min.js> could save 245B (12% reduction) after compression.
- Minifying https://pd.sharethis.com/pd/test_oracle could save 110B (26% reduction).

Desktop

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://viptarot.com/js/dtc.php>

[Optimize CSS Delivery](#) of the following:

- <http://viptarot.com/css/styles.css>
- <http://viptarot.com/css/cstyles.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 8.7KiB (47% reduction).

- Compressing https://ws.sharethis.com/images/2017/pinterest_32.png could save 1,008B (70% reduction).
- Compressing https://ws.sharethis.com/images/2017/email_32.png could save 998B (72% reduction).
- Compressing https://ws.sharethis.com/images/2017/sharethis_32.png could save 988B (73% reduction).
- Compressing https://ws.sharethis.com/images/2017/stumbleupon_32.png could save 988B (73% reduction).
- Compressing https://ws.sharethis.com/images/2017/twitter_32.png could save 966B (72% reduction).
- Compressing https://ws.sharethis.com/images/2017/linkedin_32.png could save 942B (76% reduction).

Desktop

- Compressing https://ws.sharethis.com/images/2017/facebook_32.png could save 930B (79% reduction).
- Compressing https://ws.sharethis.com/images/2017/googleplus_32.png could save 824B (34% reduction).
- Compressing https://scontent-atl3-1.xx.fbcdn.net/v/t1.0-0/p130x130/543866_479280082132224_384886871_n.jpg?_nc_cat=104&_nc_oc=AQISk0Y6awL1yEeVazKSk5x467Z3bsLqOwfsajwgSomng3OVRQpqwzpr0Nebog7gCsQ&_nc_ht=scontent-atl3-1.xx&oh=511590718b2b8a5e654837d412b2b5ca&oe=5DA38649 could save 775B (16% reduction).
- Compressing https://static.xx.fbcdn.net/rsrc.php/v3/yG/r/wrCiWd_JmQD.png could save 296B (30% reduction).
- Compressing <http://viptarot.com/images/share/facebook.png> could save 171B (12% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).